

NSE6_FML-6.0^{Q&As}

Fortinet NSE 6 - FortiMail 6.0

Pass Fortinet NSE6_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse6_fml-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

While reviewing logs, an administrator discovered that an incoming email was processed using policy IDs:

0:4:9.

Which of the following statements are true? (Choose two.)

A.

FortiMail applied the default behavior for relaying inbound email

B.

FortiMail configuration is missing an access delivery rule to process incoming email

C.

Incoming recipient policy ID 9 has the exclusive flag set

D.

Email was processed using IP policy ID 4

Correct Answer: AC

QUESTION 2

Examine the FortiMail recipient-based policy shown in the exhibit; then answer the question below.

Policies

Recipient Based Policy

Enable:

Direction: Incoming

Domain:

Comments:

Sender Pattern

Type: @

@

Recipient Pattern

Type: @

@

Profiles

Authentication and Access

Authentication type:

Authentication profile:

Use for SMTP authentication

Allow guaranteed email access through POP3

Allow guaranteed email access through webmail

After creating the policy, an administrator discovered that clients are able to send unauthenticated email using SMTP. What must be done to ensure clients cannot send unauthenticated email?

- A. Configure a matching IP policy with SMTP authentication and exclusive flag enabled
- B. Move the recipient policy to the top of the list
- C. Configure an access receive rule to verify authentication status
- D. Configure an access delivery rule to enforce authentication

Correct Answer: A

QUESTION 3

Which of the following statements regarding SMTPS and SMTP over TLS are true? (Choose three.)

- A. In an SMTPS session, the identities of both sender and receiver are encrypted

- B. SMTPS connections are initiated on port 465
- C. SMTP over TLS connections are entirely encrypted and initiated on port 465
- D. The STARTTLS command is used to initiate SMTP over TLS
- E. SMTPS encrypts the body of the email message, where the most sensitive content exists

Correct Answer: ABD

QUESTION 4

Which of the following CLI commands, if executed, will erase all data on the log disk partition? (Choose two.)

- A. execute formatmaildisk
- B. execute formatmaildisk_backup
- C. execute formatlogdisk
- D. execute partitionlogdisk 40

Correct Answer: CD

QUESTION 5

What are the configuration steps to enable DKIM signing for outbound messages on FortiMail? (Choose three.)

- A. Enable DKIM signing for outgoing messages in a matching session profile
- B. Publish the public key as a TXT record in a public DNS server
- C. Enable DKIM check in a matching session profile
- D. Enable DKIM check in a matching antispam profile
- E. Generate a public/private key pair in the protected domain configuration

Correct Answer: ACE

[Latest NSE6_FML-6.0 Dumps](#)

[NSE6_FML-6.0 Practice Test](#)

[NSE6_FML-6.0 Exam Questions](#)