

NSE6_FWB-6.0^{Q&As}

Fortinet NSE 6 - FortiWeb 6.0

Pass Fortinet NSE6_FWB-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse6_fwb-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Under what circumstances would you want to use the temporary uncompress feature of FortiWeb?

- A. In the case of compression being done on the FortiWeb, to inspect the content of the compressed file
- B. In the case of the file being a .MP3 music file
- C. In the case of compression being done on the web server, to inspect the content of the compressed file.
- D. In the case of the file being an .MP4 video

Correct Answer: C

QUESTION 2

Which implementation is best suited for a deployment that must meet compliance criteria?

- A. SSL Inspection with FortiWeb in Transparency mode
- B. SSL Offloading with FortiWeb in reverse proxy mode
- C. SSL Inspection with FortiWeb in Reverse Proxy mode
- D. SSL Offloading with FortiWeb in Transparency Mode

Correct Answer: C

QUESTION 3

A client is trying to start a session from a page that should normally be accessible only after they have logged in.

When a start page rule detects the invalid session access, what can FortiWeb do? (Choose three.)

- A. Reply with a "403 Forbidden" HTTP error
- B. Allow the page access, but log the violation
- C. Automatically redirect the client to the login page
- D. Display an access policy message, then allow the client to continue, redirecting them to their requested page
- E. Prompt the client to authenticate

Correct Answer: ABC

QUESTION 4

You are using HTTP content routing on FortiWeb. Requests for web app A should be forwarded to a cluster of web servers which all host the same web app. Requests for web app B should be forwarded to a different, single web server.

Which is true about the solution?

- A. Static or policy-based routes are not required.
- B. To achieve HTTP content routing, you must chain policies: the first policy accepts all traffic, and forwards requests for web app A to the virtual server for policy A. It also forwards requests for web app B to the virtual server for policy B. Policy A and Policy B apply their app-specific protection profiles, and then distribute that app's traffic among all members of the server farm.
- C. You must put the single web server into a server pool in order to use it with HTTP content routing.
- D. The server policy applies the same protection profile to all its protected web apps.

Correct Answer: B

QUESTION 5

What other consideration must you take into account when configuring Defacement protection A. Use FortiWeb to block SQL Injections and keep regular backups of the Database

- B. Also incorporate a FortiADC into your network
- C. None. FortiWeb completely secures the site against defacement attacks
- D. Configure the FortiGate to perform Anti-Defacement as well

Correct Answer: D

[Latest NSE6_FWB-6.0 Dumps](#)

[NSE6_FWB-6.0 PDF Dumps](#)

[NSE6_FWB-6.0 Study Guide](#)