

# NSE7\_PBC-6.4<sup>Q&As</sup>

Fortinet NSE 7 - Public Cloud Security 6.4

## Pass Fortinet NSE7\_PBC-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass2lead.com/nse7\\_pbc-6-4.html](https://www.pass2lead.com/nse7_pbc-6-4.html)


100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**



Refer to the exhibit. Which two conditions will enable you to segregate and secure the traffic between the hub and the spokes in Microsoft Azure? (Choose two.)

- A. Implement the FortiGate-VM network virtual appliance (NVA) in the hub and use user-defined routes (UDRs) in the spokes.
- B. Use ExpressRoute to interconnect the hub VNets and spoke VNets.
- C. Configure VNet peering between the spokes only.
- D. Configure VNet peering between the hub and spokes.

Correct Answer: BD

**QUESTION 2**

An organization deploys a FortiGate-VM (VM04 / c4.xlarge) in Amazon Web Services (AWS) and configures two elastic network interfaces (ENIs). Now, the same organization wants to add additional ENIs to support different workloads in their environment.

Which action can you take to accomplish this?

- A. None, you cannot create and add additional ENIs to an existing FortiGate-VM.
- B. Create the ENI, shut down FortiGate, attach the ENI to FortiGate, and then start FortiGate.
- C. Create the ENI, attach it to FortiGate, and then restart FortiGate.
- D. Create the ENI and attach it to FortiGate.

Correct Answer: B

Reference: [https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9e3b59dc-ba0b-11e9a989-00505692583a/FortiOS\\_6.2\\_AWS\\_Cookbook.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9e3b59dc-ba0b-11e9a989-00505692583a/FortiOS_6.2_AWS_Cookbook.pdf)

---

### QUESTION 3

When an organization deploys a FortiGate-VM in a high availability (HA) (active/active) architecture in Microsoft Azure, they need to determine the default timeout values of the load balancer probes.

In the event of failure, how long will Azure take to mark a FortiGate-VM as unhealthy, considering the default timeout values?

- A. Less than 10 seconds
- B. 30 seconds
- C. 20 seconds
- D. 16 seconds

Correct Answer: B

---

### QUESTION 4

When configuring the FortiCASB policy, which three configuration options are available? (Choose three.)

- A. Intrusion prevention policies
- B. Threat protection policies
- C. Data loss prevention policies
- D. Compliance policies
- E. Antivirus policies

Correct Answer: BCD

---

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/bf017449-572a-11e981a4-00505692583a/forticasb-4.1.0-admin-guide.pdf> (62)

---

**QUESTION 5**

Which three properties are configurable Microsoft Azure network security group rule settings? (Choose three.)

- A. Action
- B. Sequence number
- C. Source and destination IP ranges
- D. Destination port ranges
- E. Source port ranges

Correct Answer: ADE

Reference: <https://docs.microsoft.com/en-us/azure/virtual-network/network-security-groups-overview>

[Latest NSE7\\_PBC-6.4 Dumps](#)

[NSE7\\_PBC-6.4 PDF Dumps](#)

[NSE7\\_PBC-6.4 VCE Dumps](#)