

NSE7_PBC-6.4^{Q&As}

Fortinet NSE 7 - Public Cloud Security 6.4

Pass Fortinet NSE7_PBC-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse7_pbc-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1


Which two statements about Amazon Web Services (AWS) networking are correct? (Choose two.)

- A. Proxy ARP entries are disregarded.
- B. 802.1q VLAN tags are allowed inside the same virtual private cloud.
- C. AWS DNS reserves the first host IP address of each subnet.
- D. Multicast traffic is not allowed.

Correct Answer: CD

Reference: <https://docs.aws.amazon.com/sdkfornet/v3/apidocs/items/EC2/TIEC2.html>

QUESTION 2



Refer to the exhibit. You are deploying a FortiGate-VM in Microsoft Azure using the PAYG/On-demand licensing model. After you configure the FortiGate-VM, the validation process fails, displaying the error shown in the exhibit.

What caused the validation process to fail?

- A. You selected the incorrect resource group.
- B. You selected the Bring Your Own License (BYOL) licensing mode.
- C. You selected the PAYG/On-demand licensing model, but did not select correct virtual machine size.
- D. You selected the PAYG/On-demand licensing model, but did not associate a valid Azure subscription.

Correct Answer: A

QUESTION 3


An Amazon Web Services (AWS) auto-scale FortiGate cluster has just experienced a scale-down event, terminating a FortiGate in availability zone C.

What action will the worker node automatically perform to restore access to the black-holed subnet?

- A. The worker node applies a route table from a non-black-holed subnet to the black-holed subnet.
- B. The worker node moves the virtual IP of the terminated FortiGate to a running FortiGate on the worker node's private subnet interface.
- C. The worker node modifies the route table applied to the black-holed subnet changing its default route to point to a running FortiGate on the worker node's private subnet interface.
- D. The worker node migrates the subnet to a different availability zone.

Correct Answer: D

QUESTION 4



Refer to the exhibit. Your senior administrator successfully configured a FortiGate fabric connector with the Azure resource manager, and created a dynamic address object on the FortiGate VM to connect with a windows server in Microsoft Azure. However, there is now an error on the dynamic address object, and you must resolve the issue.

How do you resolve this issue?

- A. Run diagnose debug application azd -l on FortiGate.
- B. In the Microsoft Azure portal, set the correct tag values for the windows server.
- C. In the Microsoft Azure portal, access the windows server, obtain the private IP address, and assign the IP address under the FortiGate-VM AzureLab address object.

D. Delete the address object and recreate a new address object with the type set to FQDN.

Correct Answer: C

QUESTION 5

The output is simplified for clarity.

```
config route
  edit "SSTENTAZFGT-0302-Nic-01"
    config ip
      edit "SSTENTAZFGT-0302-Nic-01"
        set public-ip "SSTENTAZFGT-03-FloatingPIP"
      next
    end
  next
end
config route-table
  edit "FortigateUDR-01"
    config route
      edit "defaultroute"
        set next-hop "172.29.32.71"
      next
      edit "RouteToSST-ENT-AZ-Demo-03-vNet01-Subnet-07"
        set next-hop "172.29.32.71"
      next
      edit "RouteToSST-ENT-AZ-Demo-03-vNet01-Subnet-08"
        set next-hop "172.29.32.71"
      next
    end
  next
end
end
SSTENTAZFGT-0302 #
```

Refer to the exhibit. Consider an active-passive HA deployment in Microsoft Azure. The exhibit shows an excerpt from the passive FortiGate-VM node.

If the active FortiGate-VM fails, what are the results of the API calls made by the FortiGate named SSTENTAZFGT-0302? (Choose two.)

A. SSTENTAZFGT-03-FloatingPIP is assigned to the IP configuration with the name SSTENTAZFGT0302-Nic-01, under the network interface SSTENTAZFGT-0302-Nic-01

- B. 172.29.32.71 is set as a next hop IP for all routes under FortigateUDR-01
- C. The network interface of the active unit moves to itself
- D. SSTENTAZFGT-03-FloatingPIP public IP is assigned to NIC SSTENTAZFGT-0302-Nic-01

Correct Answer: AB

[Latest NSE7_PBC-6.4 Dumps](#)

[NSE7_PBC-6.4 Practice Test](#)

[NSE7_PBC-6.4 Study Guide](#)