

NSE7_PBC-6.4^{Q&As}

Fortinet NSE 7 - Public Cloud Security 6.4

Pass Fortinet NSE7_PBC-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse7_pbc-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

When an organization deploys a FortiGate-VM in a high availability (HA) (active/active) architecture in Microsoft Azure, they need to determine the default timeout values of the load balancer probes.

In the event of failure, how long will Azure take to mark a FortiGate-VM as unhealthy, considering the default timeout values?

- A. Less than 10 seconds
- B. 30 seconds
- C. 20 seconds
- D. 16 seconds

Correct Answer: B

QUESTION 2

When configuring the FortiCASB policy, which three configuration options are available? (Choose three.)

- A. Intrusion prevention policies
- B. Threat protection policies
- C. Data loss prevention policies
- D. Compliance policies
- E. Antivirus policies

Correct Answer: BCD

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/bf017449-572a-11e981a4-00505692583a/forticasb-4.1.0-admin-guide.pdf> (62)

QUESTION 3

Which two statements about Amazon Web Services (AWS) networking are correct? (Choose two.)

- A. Proxy ARP entries are disregarded.
- B. 802.1q VLAN tags are allowed inside the same virtual private cloud.
- C. AWS DNS reserves the first host IP address of each subnet.
- D. Multicast traffic is not allowed.

Correct Answer: CD

Reference: <https://docs.aws.amazon.com/sdkfornet/v3/apidocs/items/EC2/TIEC2.html>

QUESTION 4

An organization deployed a FortiGate-VM in the Google Cloud Platform and initially configured it with two vNICs. Now, the same organization wants to add additional vNICs to this existing FortiGate-VM to support different workloads in their environment.

How can they do this?

- A. They can create additional vNICs using the Cloud Shell.
- B. They cannot create and add additional vNICs to an existing FortiGate-VM.
- C. They can create additional vNICs in the UI console.
- D. They can use the Compute Engine API Explorer.

Correct Answer: D

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/62d32ecf-687f-11ea9384-00505692583a/FortiOS-6.4-GCP_Cookbook.pdf

QUESTION 5

A company deployed a FortiGate-VM with an on-demand license using Amazon Web Services (AWS) Market Place Cloud Formation template. After deployment, the administrator cannot remember the default admin password.

What is the default admin password for the FortiGate-VM instance?

- A. The admin password cannot be recovered and the customer needs to deploy the FortiGate-VM again.
- B.
- C. admin
- D. The instance-ID value

Correct Answer: D

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/aws-cookbook/828256/connecting-to-thefortigate-vm>

[Latest NSE7_PBC-6.4 Dumps](#)

[NSE7_PBC-6.4 VCE Dumps](#)

[NSE7_PBC-6.4 Braindumps](#)