

NSE7_SDW-6.4^{Q&As}

Fortinet NSE 7 - SD-WAN 6.4

Pass Fortinet NSE7_SDW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse7_sdw-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Refer to Exhibit:

```
config system virtual-wan-link
  set status enable
  set load-balance-mode source-dest-ip-base
  config members
    edit 1
      set interface "port1"
      set gateway 100.64.1.254
    next
    edit 2
      set interface "port2"
      set gateway 100.64.2.254
    next
  end
end
```

Based on the exhibit, which algorithm does SD-WAN use to distribute traffic that does not match any of the SD-WAN rules, among the member interfaces?

- A. All traffic from a source IP to a destination IP is sent to the same interface.
- B. All traffic from a source IP is sent to the most used interface.
- C. All traffic from a source IP to a destination IP is sent to the least used interface.
- D. All traffic from a source IP is sent to the same interfaces.

Correct Answer: A

QUESTION 2

Which statement about using BGP routes in SD-WAN is true?

- A. Learned routes can be used as dynamic destinations in SD-WAN rules.
- B. You must use BGP to route traffic for both overlay and underlay links.
- C. You must configure AS path prepending.
- D. You must use external BGP.

Correct Answer: A

QUESTION 3

Which diagnostic command can you use to show the SD-WAN rules interface information and state?

- A. diagnose sys sdwan route-tag-list.
- B. diagnose sys sdwan service.
- C. diagnose sys sdwan member.
- D. diagnose sys sdwan neighbor.

Correct Answer: B

<https://community.fortinet.com/t5/FortiGate/Technical-Tip-Diagnostic-commands-to-check-the-status-of-the-SD/tap/194246>

QUESTION 4

What are two reasons for using FortiManager to organize and manage the network for a group of FortiGate devices? (Choose two)

- A. It simplifies the deployment and administration of SD-WAN on managed FortiGate devices.
- B. It improves SD-WAN performance on the managed FortiGate devices.
- C. It sends probe signals as health checks to the beacon servers on behalf of FortiGate.
- D. It acts as a policy compliance entity to review all managed FortiGate devices.
- E. It reduces WAN usage on FortiGate devices by acting as a local FortiGuard server.

Correct Answer: AE

QUESTION 5

What are the two minimum configuration requirements for an outgoing interface to be selected once the SD-WAN logical interface is enabled? (Choose two)

- A. Specify outgoing interface routing cost.
- B. Configure SD-WAN rules interface preference.
- C. Select SD-WAN balancing strategy.
- D. Specify incoming interfaces in SD-WAN rules.

Correct Answer: AB