

NSE7_SDW-6.4^{Q&As}

Fortinet NSE 7 - SD-WAN 6.4

Pass Fortinet NSE7_SDW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse7_sdw-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which diagnostic command can you use to show the SD-WAN rules interface information and state?

- A. diagnose sys sdwan route-tag-list.
- B. diagnose sys sdwan service.
- C. diagnose sys sdwan member.
- D. diagnose sys sdwan neighbor.

Correct Answer: B

<https://community.fortinet.com/t5/FortiGate/Technical-Tip-Diagnostic-commands-to-check-the-status-of-the-SD/tap/194246>

QUESTION 2

Which action FortiGate performs on traffic that is subject to a per-IP traffic shaper of 10 Mbps?

- A. FortiGate shares 10 Mbps of bandwidth equally among all source IP addresses.
- B. FortiGate applies traffic shaping to the original traffic direction only.
- C. FortiGate limits each source IP address to a maximum bandwidth of 10 Mbps.
- D. FortiGate guarantees a minimum of 10 Mbps of bandwidth to each source IP address.

Correct Answer: C

QUESTION 3

What are two roles that SD-WAN orchestrator plays when it works with FortiManager? (Choose two)

- A. It configures and monitors SD-WAN networks on FortiGate devices that are managed by FortiManager.
- B. It acts as a standalone device to assist FortiManager to manage SD-WAN interfaces on the managed FortiGate devices.
- C. It acts as a hub FortiGate with an SD-WAN interface enabled and managed along with other FortiGate devices by FortiManager.
- D. It acts as an application that is released and signed by Fortinet to run as a part of management extensions on FortiManager.

Correct Answer: AD

SD-WAN 6.4 Guide Page 158. <https://docs2.fortinet.com/document/fortimanager/6.4.0/sd-wan-orchestrator-6-4-0-administration-guide/91581/introduction>

QUESTION 4

Refer to the exhibit.

```
FortiGate # diagnose firewall shaper per-ip-shaper list
name FTP_5M
maximum-bandwidth 625 KB/sec
maximum-concurrent-session 5
tos ff/ff
packets dropped 65
bytes dropped 81040
addr=10.1.0.1 status: bps=0 ses=1
addr=10.1.0.100 status: bps=0 ses=1
addr=10.1.10.1 status: bps=1656 ses=3
```

Which two statements about the debug output are correct? (Choose two)

- A. The debug output shows per-IP shaper values and real-time readings.
- B. This traffic shaper drops traffic that exceeds the set limits.
- C. Traffic being controlled by the traffic shaper is under 1 Kbps.
- D. FortiGate provides statistics and reading based on historical traffic logs.

Correct Answer: AB

QUESTION 5

Refer to exhibits





Exhibit A shows the system interface with the static routes and exhibit B shows the firewall policies on the managed FortiGate

Based on the FortiGate configuration shown in the exhibits, what are two issues you might encounter when creating an SD-WAN interface on port1 and port2? (Choose two)

- A. Member interfaces that are administratively down
- B. Member interface that have IP address of 0.0.0.0/0.0.0.0
- C. Member interfaces that are physical interfaces as well as VLAN aggregate, and iPsec interfaces
- D. Member interfaces that are referenced by any other configuration element

Correct Answer: AD

[NSE7_SDW-6.4 PDF Dumps](#)

[NSE7_SDW-6.4 Practice Test](#)

[NSE7_SDW-6.4 Study Guide](#)