

# NSE7\_SDW-6.4<sup>Q&As</sup>

Fortinet NSE 7 - SD-WAN 6.4

## Pass Fortinet NSE7\_SDW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass2lead.com/nse7\\_sdw-6-4.html](https://www.pass2lead.com/nse7_sdw-6-4.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibits.

The screenshot shows the FortiGate configuration interface. The top section displays the 'Aggregate' configuration for 'fortilink' and a list of physical interfaces (port1 through port10) and a tunnel interface 'ssl.root'. The bottom section shows a 'Static Route' configuration with two entries:

ID	Destination	Gateway	Interface	Distance	Priority	Status	Description
1	0.0.0.0/0.0.0.0	10.200.1.254	port1	10	0	Enable	
2	0.0.0.0/0.0.0.0	10.200.2.254	port2	10	0	Enable	

The screenshot shows the FortiGate configuration interface for firewall policies. It displays two policies:

#	Name	From	To	Source	Destination	Schedule	Service	Users	Action	Security Profiles	Log	NAT	Install On	Created Time	Last Modified
1	Internet_Access	port3	port1	all	all	always	ALL		Accept	no-inspection	Log Security Events	Enabled	Installation Targets	2020-10-23 01:46:20	admin/2020-10-23 01:46:20
2	Implicit Deny	any	any	all	all	always	ALL		Deny		No Log		Installation Targets		

ExhibitA shows the system interface with the static routes and exhibit B shows the firewall policies on the managed FortiGate.

Based on the FortiGate configuration shown in the exhibits, what issue might you encounter when creating an SD-WAN zone for port1 and port2?

- A. port2 is referenced in a static route.
- B. port1 is assigned a manual IP address.
- C. port1 and port2 are not administratively down.
- D. port1 is referenced in a firewall policy.

Correct Answer: D

**QUESTION 2**

Which diagnostic command can you use to show interface-specific SLA logs for the last 10 minutes?

- A. diagnose sys sdwan log

- B. diagnose sys sdwan health-check
- C. diagnose sys sdwan intf-sla-log
- D. diagnose sys sdwan sla-log

Correct Answer: D

diagnose sys sdwan intf-sla-log -> shows only bandwidth utilization  
diagnose sys sdwan sla-log -> shows packet-loss, latency, jitter, MOS

### QUESTION 3

Refer to Exhibit:

```
config vpn ipsec phase1-interface
edit "FIRST VPN"
    set type dynamic
    set interface "port1"
    set peertype any
    set proposal aes128-sha256 aes256-sha256
    set add-route enable
    set dhgrp 14 15 19
    set xauthtype auto
    set authusrgrp "first-group"
    set psksecret fortinet1
next
end
```


Which statement is correct if the responder FortiGate is using a dynamic routing protocol over the IPsec VPN interface?

- A. The phase 1 type must be changed to static for dynamic routing.
- B. Only dial-up connections without XAuth can be used for the dynamic routing
- C. add-route must be disabled to prevent FortiGate from installing VPN static routes
- D. peertype must be set to accept only one peer ID for a unique VPN interface

Correct Answer: C

### QUESTION 4

Refer to the exhibit.



SD-WAN 6.4.5 Guide Page 76. <https://docs.fortinet.com/document/fortigate/7.2.1/administration-guide/22371/sd-wan-rules-best-quality>

What must you configure to enable ADVPN?

- A. On the hub VPN, only the device needs additional phase one sett
- B. ADVPN should only be enabled on unmanaged FortiGate devices.
- C. Each VPN device has a unique pre-shared key configured separately on phase one
- D. The protected subnets should be set to address object to all (0.0 .0. 0/0).

Correct Answer: D

SD-WAN 6.4.5 Study Guide. pg 210

**QUESTION 5**

Refer to the exhibits. Exhibit A:

ID	Name	Source	Destination	Criteria	Members
<b>IPv4</b>					
1	Google.ICMP	all	Google-ICMP	Latency	port1, port2
2	Vimeo	all	Vimeo		port2
3	All_Access_Rules	all	all		port1
<b>Implicit</b>					
	sd-wan	all	all	Source-Destination IP	any

Exhibit B:

Date/Time	Source	Destination	Application Name	Result	Policy	Destination Interface
2020/10/15 11:12:27	10.0.1.10	151.101.250.109 (i.vimeocdn.com)	Vimeo	UTM Allowed	Internet Access (1)	port2
2020/10/15 11:12:22	10.0.1.10	34.120.15.67 (fresnel-events.vimeocdn.com)	Vimeo	2.00 kB / 4.33 kB	Internet Access (1)	port1
2020/10/15 11:12:20	10.0.1.10	172.217.13.227 (ocsp.pki.goog)	OCSP	1.28 kB / 1.49 kB	Internet Access (1)	port1
2020/10/15 11:12:07	10.0.1.10	23.47.205.151 (detectportal.firefox.com)	HTTP.BROWSER_Firefox	1.44 kB / 1.55 kB	Internet Access (1)	port1
2020/10/15 11:12:07	10.0.1.10	23.47.205.151 (detectportal.firefox.com)	HTTP.BROWSER_Firefox	1.43 kB / 1.60 kB	Internet Access (1)	port1
2020/10/15 11:12:04	10.0.1.10	99.84.221.62 (snippets.cdn.mozilla.net)	HTTPS.BROWSER	2.08 kB / 13.44 kB	Internet Access (1)	port1

Exhibit A shows the SD-WAN rules and exhibit B shows the traffic logs. The SD-WAN traffic logs reflect how FortiGate distributes traffic. Based on the exhibits, what are two expected behaviors when FortiGate processes SD-WAN traffic? (Choose two.)

- A. The first Vimeo session may not match the Vimeo SD-WAN rule because the session is used for the application learning phase.
- B. The implicit rule overrides all other rules because parameters widely cover sources and destinations.
- C. The Vimeo SD-WAN rule steers Vimeo application traffic among all SD-WAN member interfaces.
- D. SD-WAN rules are evaluated in the same way as firewall policies: from top to bottom.

Correct Answer: AD

[Latest NSE7\\_SDW-6.4 Dumps](#)

[NSE7\\_SDW-6.4 PDF Dumps](#)

[NSE7\\_SDW-6.4 Practice Test](#)