

# NSE7\_SDW-7.0<sup>Q&As</sup>

Fortinet NSE 7 - SD-WAN 7.0

## Pass Fortinet NSE7\_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass2lead.com/nse7\\_sdw-7-0.html](https://www.pass2lead.com/nse7_sdw-7-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What are two reasons why FortiGate would be unable to complete the zero-touch provisioning process? (Choose two.)

- A. The FortiGate cloud key has not been added to the FortiGate cloud portal.
- B. FortiDeploy has connected with FortiGate and provided the initial configuration to contact FortiManager
- C. The zero-touch provisioning process has completed internally, behind FortiGate.
- D. FortiGate has obtained a configuration from the platform template in FortiGate cloud.
- E. A factory reset performed on FortiGate.

Correct Answer: AC

**QUESTION 2**

Refer to exhibits.

Exhibit A	Exhibit B	Name	Detect Server	Packet Loss	Latency	Jitter	Failure Threshold	Recovery Threshold
		DC_PBX_SLA	4.2.2.2	port1: 0.00%	port1: 32.80ms	port1: 8.58ms	5	5
			4.2.2.1	port2: 0.00%	port2: 55.36ms	port2: 8.37ms		

```
Exhibit A Exhibit B
NGFW-1 # diagnose sys virtual-wan-link health-check
Health Check(DC_PBX_SLA):
Seq(1 port1): state(dead), packet-loss(75.000%) sla_map=0x0
Seq(2 port2): state(alive), packet-loss(0.000%) latency(50.477), jitter(3.699)
sla_map=0x1

NGFW -1 # diagnose sys virtual-wan-link service
Service(1): Address Mode(IPV4) flags=0x0
Gen(3), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(priority), link-cost-
factor(latency), link-cost-threshold(10), health-check(DC_PBX_SLA)
Members:
  1: Seq_num(2 port2), alive, latency: 50.233, selected
  2: Seq_num(1 port1), dead
Internet Service: Microsoft-Skype_Teams(327781,0,0,0)
Src address:
  0.0.0.0-255.255.255.255
```

Exhibit A shows the performance SLA exhibit B shows the SD-WAN diagnostics output. Based on the exhibits, which statement is correct?

- A. Both SD-WAN member interfaces have used separate SLA targets.
- B. The SLA state of port1 is dead after five unanswered requests by the SLA servers.

- C. Port1 became dead because no traffic was offload through the egress of port1.
- D. SD-WAN member interfaces are affected by the SLA state of the inactive interface

Correct Answer: B

SD-WAN\_6.4\_Study\_Guide page 57

---

### QUESTION 3

Which two interfaces are considered overlay links? (Choose two.)

- A. IPsec
- B. Physical
- C. LAG
- D. GRE

Correct Answer: AD

---

### QUESTION 4

What are two reasons for using FortiManager to organize and manage the network for a group of FortiGate devices? (Choose two )

- A. It simplifies the deployment and administration of SD-WAN on managed FortiGate devices.
- B. It improves SD-WAN performance on the managed FortiGate devices.
- C. It sends probe signals as health checks to the beacon servers on behalf of FortiGate.
- D. It acts as a policy compliance entity to review all managed FortiGate devices.
- E. It reduces WAN usage on FortiGate devices by acting as a local FortiGuard server.

Correct Answer: AE

---

### QUESTION 5

Which three protocols are available only on the command line to configure as performance SLA status check? (Choose three.)

- A. smtp
- B. tcp-echo
- C. twamp
- D. udp-echo

E. icmp

Correct Answer: BCD

[NSE7\\_SDW-7.0 PDF  
Dumps](#)

[NSE7\\_SDW-7.0 Practice  
Test](#)

[NSE7\\_SDW-7.0  
Braindumps](#)