PCAP^{Q&As}

Certified Associate in Python Programming

Pass Python Institute PCAP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/pcap-31-02.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Python Institute Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which of the following statements are true? (Choose two.)

A. if invoking open () fails, an exception is raised

B. open () requires a second argument

C. open () is a function which returns an object that represents a physical file

D. instd, outstd. errstd are the names of pre-opened streams

Correct Answer: AC

QUESTION 2

```
 9  a=2
10  if a>0:
11      a+=1
12  else:
13      a-=1
14  print(a)
```

```
3

...Program finished with exit code 0
Press ENTER to exit console.
```

Assuming that the following snippet has been successfully executed, which of the equations are True? (Select two answers)

$$a = [1]$$
$$b = a$$
$$a[0] = 0$$

A. len(a) == len (b)

B. b [0] +1 ==a [0]

C. a [0] == b [0]

D. a [0] + 1 ==b [0]

Correct Answer: AC

```
 9  a=[1]
10  b=a
11  a[0]=0
12  print (len(a) == len (b))
```

True

...Program finished with exit code 0
Press ENTER to exit console.

QUESTION 3

Assuming that the following inheritance set is in force, which of the following classes are declared properly? (Choose two.)

```
class A:
    pass


class B(A):
    pass


class C(A):
    pass


class D(B):
    pass
```

A. class Class_4(D,A): pass

B. class Class_3(A,C): pass

C. class Class_2(B,D): pass

D. class Class_1(C,D): pass

Correct Answer: AD

QUESTION 4

Which one of the platform module functions should be used to determine the underlying platform name?

A. platform.python_version()

B. platform.processor()

C. platform.platform()

D. platform.uname()

Correct Answer: C

QUESTION 5

```
 9  def f (n):
10      if n == 1:
11          return 1
12          return n + f (n-1)
13  print (f(2))
14
```

None

A method for passing the arguments used by the following snippet is called:

```
def fun (a, b):
      return a + b

res = fun (1, 2)
```

A. sequential

B. named

C. positional

D. keyword

Correct Answer: D

Reference: https://www.techbeamers.com/python-function/