VCE & PDF
Pass4Lead.com

# PCNSE7<sup>Q&As</sup>

## Palo Alto Networks Certified Network Security Engineer

# Pass Palo Alto Networks PCNSE7 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.pass4lead.com/pcnse7.html**

**100% Passing Guarantee**
**100% Money Back Assurance**

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

**Instant Download** After Purchase

**100% Money Back** Guarantee

**365 Days** Free Update

**800,000+** Satisfied Customers

**QUESTION 1**

An administrator wants multiple web servers in the DMZ to receive connections initiated from the internet. Traffic destined for 206.15.22.9 port 80/TCP needs to be forwarded to the server at 10.1.1.22



Based on the information shown in the image, which NAT rule will forward web-browsing traffic correctly?

A. Source IP: Any
Destination IP: 206.15.22.9
Source Zone: Internet
Destination Zone: DMZ
Destination Service: 80/TCP
Action: Destination NAT
Translated IP: 10.2.2.23
Translated Port: 53/UDP

B. Source IP: Any
Destination IP: 206.15.22.9
Source Zone: Internet
Destination Zone: Internet
Destination Service: 80/TCP
Action: Destination NAT
Translated IP: 10.1.1.22
Translated Port: 53/UDP

C. Source IP: Any
Destination IP: 206.15.22.9
Source Zone: Internet
Destination Zone: Internet
Destination Service: 80/TCP
Action: Destination NAT
Translated IP: 10.1.1.22
Translated Port: None

D. Source IP: Any
Destination IP: 206.15.22.9
Source Zone: Internet
Destination Zone: DMZ
Destination Service: 80/TCP
Action: Destination NAT
Translated IP: 10.1.1.22
Translated Port: 80/TCP

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

**QUESTION 2**

A client is deploying a pair of PA-5000 series firewalls using High Availability (HA) in Active/Passive mode. Which statement is true about this deployment?

A. The two devices must share a routable floating IP address

B. The two devices may be different models within the PA-5000 series

C. The HA1 IP address from each peer must be on a different subnet

D. The management port may be used for a backup control connection

Correct Answer: D

**QUESTION 3**

How does an administrator schedule an Applications and Threats dynamic update while delaying installation of the update for a certain amount of time?

A. Configure the option for "Threshold".

B. Disable automatic updates during weekdays.

C. Automatically "download only" and then install Applications and Threats later, after the administrator approves the update.

D. Automatically "download and install" but with the "disable new applications" option used.

Correct Answer: C

**QUESTION 4**

When configuring a GlobalProtect Portal, what is the purpose of specifying an Authentication Profile?

A. To enable Gateway authentication to the Portal

B. To enable Portal authentication to the Gateway

C. To enable user authentication to the Portal

D. To enable client machine authentication to the Portal

Correct Answer: C

**QUESTION 5**

A network design calls for a "router on a stick" implementation with a PA-5060 performing inter-VLAN routing All VLAN-tagged traffic will be forwarded to the PA-5060 through a single dot1q trunk interface Which interface type and configuration setting will support this design?

A. Trunk interface type with specified tag

B. Layer 3 interface type with specified tag

C. Layer 2 interface type with a VLAN assigned

D. Layer 3 subinterface type with specified tag

Correct Answer: D

To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product !

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

## Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: