

PCNSE8^{Q&As}

Palo Alto Networks Certified Security Engineer (PCNSE) PAN-OS 8.0

Pass Palo Alto Networks PCNSE8 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/pcnse8.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which command can be used to validate a Captive Portal policy?

- A. eval captive-portal policy
- B. request cp-policy-eval
- C. test cp-policy-match
- D. debug cp-policy

Correct Answer: C

QUESTION 2

An administrator has been asked to configure active/passive HA for a pair of Palo Alto Networks NGFWs. The administrator assigns priority 100 to the active firewall. Which priority is correct for the passive firewall?

- A. 0
- B. 99
- C. 1
- D. 255

Correct Answer: D

Reference:

https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/frame-maker/71/pan-os/pan-os/section_5.pdf
(page 9)

QUESTION 3

When backing up and saving configuration files, what is achieved using only the firewall and is not available in Panorama?

- A. Load named configuration snapshot
- B. Load configuration version
- C. Save candidate config
- D. Export device state

Correct Answer: A

QUESTION 4

A network security engineer needs to configure a virtual router using IPv6 addresses. Which two routing options support these addresses? (Choose two)

- A. BGP not sure
- B. OSPFv3
- C. RIP
- D. Static Route

Correct Answer: BD

<https://live.paloaltonetworks.com/t5/Management-Articles/Does-PAN-OS-Support-Dynamic-Routing-Protocols-OSPF-or-BGP-with/ta-p/62773>

QUESTION 5

Refer to the exhibit.

#####

admin@Lab33-111-PA-3060(active)>show routing fib

id	destination	nexthop	flags	interface	mtu
47	0.0.0.0/0	10.46.40.1	ug	ethernet1/3	1500
46	10.46.40.0/23	0.0.0.0	u	ethernet1/3	1500
45	10.46.41.111/32	0.0.0.0	uh	ethernet1/3	1500
70	10.46.41.113/32	10.46.40.1	ug	ethernet1/3	1500
51	192.168.111.0/24	0.0.0.0	u	ethernet1/6	1500
50	192.168.111.2/32	0.0.0.0	uh	ethernet1/6	1500

#####

admin@Lab33-111-PA-3060(active)>show virtual-wire all

total virtual-wire shown:

flags: m-multicast firewalling
p= link state pass-through
s- vlan sub-interface
i- ip+vlan sub-interface
t-tenant sub-interface

name	interface1	interface2	flags	allowed-tags
VW-1	ethernet1/7	ethernet1/5	p	

#####

Which will be the egress interface if the traffic's ingress interface is ethernet 1/7 sourcing from 192.168.111.3 and to the destination 10.46.41.113?

- A. ethernet1/6
- B. ethernet1/3
- C. ethernet1/7
- D. ethernet1/5

Correct Answer: D

[PCNSE8 VCE Dumps](#)

[PCNSE8 Practice Test](#)

[PCNSE8 Exam Questions](#)