

PCSAE^{Q&As}

Palo Alto Networks Certified Security Automation Engineer

Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/pcsae.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Where can engineers add the post-processing scripts to incidents?

- A. The post-processing tag must be added to the automation
- B. Post-processing scripts must be added at the end of playbooks
- C. Post-processing scripts must be added from the Incident Type editor
- D. Post-processing scripts must be added from the Post-Process Rules editor

Correct Answer: C

QUESTION 2

DRAG DROP

Match the operations with the appropriate context.

Select and Place:

Answer Area

Run a Set command manually from the CLI to save data	Drag answer here	Global Context
Save information from third party systems during fetch incidents	Drag answer here	Private Context
Run a command multiple times and save the output to a different key each time	Drag answer here	Extended Context
Run the Generic Polling playbook for checking the status of a detonation process	Drag answer here	Integration Context

Correct Answer:

Answer Area

Run a Set command manually from the CLI to save data	Private Context	
Save information from third party systems during fetch incidents	Global Context	
Run a command multiple times and save the output to a different key each time	Extended Context	
Run the Generic Polling playbook for checking the status of a detonation process	Integration Context	

QUESTION 3

Which two statements describe how timers are configured to start and stop automatically in a playbook? (Choose two.)

- A. Use a field of Number to count the number of seconds elapsed between two tasks
- B. After the playbook has run, calculate the total time taken and set the timer field with this value
- C. To begin counting time taken, add a task in the playbook with automation startTimer. To end the counting, add a task with automation stopTimer
- D. From the Timers tab of the playbook task, choose the action for the timer and the timer field to perform the action on

Correct Answer: BD

QUESTION 4

Which configuration is a valid distributed database (DB) implementation?

- A. 2 main DBs, 1 application server, 2 node servers
- B. 1 main DB, 1 application server, 3 node servers
- C. 2 application servers, 1 main DB, 1 node server
- D. 1 application server, 2 main DBs, 1 node server

Correct Answer: C

QUESTION 5

An incident field is created having the display name as Source_IP.

How can the field be accessed?

- A. `${incident.sourceip}`
- B. `${incident.Source_IP}`
- C. `${incident.srcip}`
- D. `${incident.Source IP}`

Correct Answer: C

[Latest PCSAE Dumps](#)

[PCSAE VCE Dumps](#)

[PCSAE Study Guide](#)