

# PCSAE<sup>Q&As</sup>

Palo Alto Networks Certified Security Automation Engineer

## Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/pcsae.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which component can be part of a load balancing group?

- A. Distributed database
- B. D2 agent
- C. Engine
- D. Load balancing server

Correct Answer: C

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/engines/understand-demisto-engines.html>

---

**QUESTION 2**

When mapping incoming data to incident fields, which statement is correct?

- A. Data that is not mapped is placed under labels
- B. Only text fields are classified
- C. Classification cannot be used if mapping is enabled
- D. Every incoming field must be mapped

Correct Answer: D

Reference: <https://xsoar.pan.dev/docs/incidents/incident-classification-mapping>

---

**QUESTION 3**

After enriching a username using Active Directory, an engineer would like to send an email to the user's manager. However, this functionality is not part of the command output. The engineer checks with `raw-response=true` and notices that the manager's email is returned, but not saved in the context.

How can the engineer save the data so it will be accessible?

- A. Mark ignore output = true
- B. Use extend-context
- C. Use raw-response = save
- D. Mark ignore input = true

Correct Answer: B

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/playbooks/extend-context/extend-context-using-the-command-line.html>

#### QUESTION 4

Incidents need to be filtered by all of the following criteria:

1.

Status – Pending

2.

Exclude Category – Job

3.

Severity – High

4.

Owner – None (No owner assigned)

5.

Type – Phishing

6.

Email Subject – “You have won a million dollars”

What is the correct query syntax for the above incident search filter?

A. status=="Pending" andand category!="job" andand severity=="High" andand owner=="None" andand type=="Phishing" andand emailsubject=="You have won a million dollars"

B. Status:Pending and –Category:job and Severity:High and Owner:"" and Type:Phishing and Email Subject:You have won a million dollars

C. status:Pending and –category:job and severity:High and owner:"" and type:Phishing and emailsubject:"You have won a million dollars"

D. status:Pending or –category:job or severity:High or owner:"" or type:Phishing or emailsubject:"You have won a million dollars"

Correct Answer: C

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-1/cortex-xsoar-admin/cortex-xsoar-overview/how-to-search-in-cortex-xsoar.html#idcd7fe505-c1c1-42f5-a698-08b5710196d3>

#### QUESTION 5

An engineer asked for a specific command in an integration but the capability does not exist. The engineer decided to

edit the existing integration by copying the integration and adding the needed commands. What is the main concern when adding these commands?

- A. The commands must return a proper result to the war room for the analysts to understand
- B. The code may not be written to XSOAR standards
- C. The integrations are locked and cannot be edited with additional commands
- D. The custom integration will not be maintained and updated by XSOAR content team

Correct Answer: C

[PCSAE VCE Dumps](#)

[PCSAE Practice Test](#)

[PCSAE Exam Questions](#)