

PCSAE^{Q&As}

Palo Alto Networks Certified Security Automation Engineer

Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/pcsae.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two advanced attributes can be applied to incident fields when editing? (Choose two.)

- A. Set a field trigger script
- B. Associate to an incident type
- C. Change field type
- D. Change field name

Correct Answer: AB

Reference: <https://docs.servicenow.com/bundle/quebec-it-service-management/page/product/incident-management/reference/incident-management-properties.html>

QUESTION 2

What can be used as integration parameters?

- A. URL, API key, port
- B. URL, certificate, image
- C. Token, query, playbook
- D. User-password, csv file, query

Correct Answer: A

QUESTION 3

An engineer defined a dashboard which allows important metrics to be displayed. The engineer would like to make this dashboard the default dashboard. How can it be accomplished?

- A. Default Dashboard can be defined by `Role`
- B. Use the server configuration key: default.dashboards
- C. Save the dashboard as a widget and apply it to all users
- D. Right click on the dashboard tab and `Set as Default`

Correct Answer: D

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xdr/cortex-xdr-prevent-admin/monitoring/cortex-xdr-dashboard/manage-dashboards.html>

QUESTION 4

Which two options are the most effective for moving content between two environments? (Choose two.)

- A. Remote repository based content sharing
- B. UI based content import/export button
- C. Copy the content backup from one environment file system (/var/lib/demisto/backup/content-backup-*) and move it to the other environment
- D. Download the content items separately and upload them to the other environment

Correct Answer: AC

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-admin/manage-data/migrate-data-to-another-server-for-multi-tenant.html>

QUESTION 5

How would context data be filtered to receive only malicious indicator values with DBotScore?

- A. Get DBotScore.value where DBotScore.Score (Larger or equals) 4
- B. Get DBotScore.value where DBotScore.Score (equals (int)) 3
- C. Get DBotScore where DBotScore.Score (Larger than) 1
- D. Get DBotScore where DBotScore.Score (Larger or equals) 2

Correct Answer: B

Reference: https://github.com/demisto/content/blob/master//Packs/DeprecatedContent/Integrations/PaloAlto_MineMeld/README.md

[Latest PCSAE Dumps](#)

[PCSAE Practice Test](#)

[PCSAE Exam Questions](#)