

PDI^{Q&As}

Salesforce Certification for Platform Developer I

Pass Salesforce PDI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/pdi.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two statement can a developer use to throw a custom exception of type `MissingFieldValueException`? Choose 2 answers

- A. `Throw (MissingFieldValueException, '\\Problem occurred\\');`
- B. `Throw new MissingFieldValueException(\\'Problem occurred\\');`
- C. `Throw new MissingFieldValueException();`
- D. `Throw Exception(new MissingFieldValueException());`

Correct Answer: BC

QUESTION 2

A developer needs to write a method that searches for a phone number that could be on multiple object types. Which method should the developer use to accomplish this task?

- A. SOQL Query that includes ALL ROWS
- B. SOQL query on each object
- C. SOSL Query that includes ALL ROWS
- D. SOSL query on each object

Correct Answer: C

QUESTION 3

Which exception type cannot be caught ?

- A. `CalloutException`
- B. A custom Exception
- C. `NoAccessException`
- D. `LimitException`

Correct Answer: D

QUESTION 4

A custom object `Trainer__c` has a lookup field to another custom object `Gym__c`.

Which SOQL query will get the record for the Viridian City gym and it's trainers?

- A. `SELECT Id, (SELECT Id FROM Trainers) FROM Gym_C WHERE Name = 'Viridian City Gym'`
- B. `SELECT Id, (SELECT Id FROM Trainer_c) FROM Gym_c WHERE Name = 'Viridian City Gym'`
- C. `SELECT ID FROM Trainer_c WHERE Gym_r.Name = 'Viridian City Gym'`
- D. `SELECT Id, (SELECT Id FROM Trainers) FROM Gym_C WHERE Name = 'Viridian City Gym'`

Correct Answer: A

QUESTION 5

Which statement should be used to allow some of the records in a list of records to be inserted if others fail to be inserted?

- A. `insert records`
- B. `Database.insert(records, true)`
- C. `insert (records, false)`
- D. `Database.insert(records, false)`

Correct Answer: D

[PDI PDF Dumps](#)

[PDI Practice Test](#)

[PDI Exam Questions](#)