

PSE-PRISMACLOUD^{Q&As}

PSE Palo Alto Networks System Engineer Professional - Prisma Cloud

Pass Palo Alto Networks PSE-PRISMACLOUD Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/pse-prismacloud.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which Amazon Web Services security service can provide host vulnerability information to Prisma Public Cloud?

- A. Shield
- B. Inspector
- C. GuardDuty
- D. Amazon Web Services WAF

Correct Answer: C

<http://www.paloguard.com/datasheets/prisma-cloud-on-aws.pdf>

QUESTION 2

What configuration on AWS is required in order for VM-Series to forward traffic between its network interfaces?

- A. Both Source and Destination Checks are disabled
- B. Both Source and Destination Checks are enabled
- C. Source Check is disabled and Destination Check is enabled
- D. Source Check is enabled and Destination Check is disabled

Correct Answer: A

<https://docs.paloaltonetworks.com/vm-series/9-0/vm-series-deployment/set-up-the-vm-series-firewall-on-aws/use-case-secure-the-ec2-instances-in-the-aws-cloud>

QUESTION 3

Match the query type with its corresponding search

Select and Place:

Finde instances that are accessible over the internet using insecure ports	Drag answer here	config where
Detect risky changes executed by a root user	Drag answer here	event where
View all S3 buckets that are open to the public via bucket policy	Drag answer here	network where

Correct Answer:

Finde instances that are accessible over the internet using insecure ports	network where	
Detect risky changes executed by a root user	event where	
View all S3 buckets that are open to the public via bucket policy	config where	

QUESTION 4

Which RQL string using network query attributes returns all traffic destined for Internet or for Suspicious IPs that also exceeds 1GB?

- A. network where publicnetwork = (\'Internet IPs\', \'Suspicious IPs\') AND bytes > 1000000000
- B. network where dest.publicnetwork IN (\'Internet IPs\', \'Suspicious IPs\') AND bytes > 1000000000
- C. show traffic where destination.network = (\'Internet IPs\', \'Suspicious IPs\') AND bytes > 1000000000
- D. network where bytes > 1GB and destination = \'Internet IPs\' OR \'Suspicious IPs\'

Correct Answer: B

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-rql-reference/rql-reference/rql-examples> All network traffic that is greater than 1GB and destined to Internet or Suspicious IPs (allows you to identify data exfiltration attempt on any cloud environment). network where dest.publicnetwork IN (\'Internet IPs\', \'Suspicious IPs\') AND bytes > 1000000000

QUESTION 5

Which two cloud providers support Load Balancers as next hop configurations for outbound connections? (Choose two.)

- A. Google Cloud Platform
- B. Microsoft Azure
- C. Oracle Cloud
- D. Amazon Web Services

Correct Answer: AC

[PSE-PRISMACLOUD PDF Dumps](#)

[PSE-PRISMACLOUD Study Guide](#)

[PSE-PRISMACLOUD Exam Questions](#)