

QSDA2018^{Q&As}

Qlik Sense Data Architect Certification Exam

Pass Qlik QSDA2018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/qsd2018.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A data architect needs to develop three separate apps (Sales, Finance, and Operations). The three apps share numerous identical calculation expressions. The data architect wants to reduce duplicate script and stores it on a file server that Qlik Sense can access.

How should the data architect complete requirements?

- A. Call batch file
- B. Macro on server
- C. Execute server script
- D. Include script function

Correct Answer: D

QUESTION 2

Refer to the exhibit.

OrderID	OrderDate	CustomerID	EmployeeID	Sales
10251	3/3/2016	CST1	EMP7	21.36
10251	3/3/2016	CST1	EMP7	332.64
10251	3/3/2016	CST1	EMP7	185.2
10277	11/5/2016	CST1	EMP7	889.6
10277	11/5/2016	CST1	EMP7	360.96
10289	11/21/2015	CST1	EMP8	616.2
10289	11/21/2015	CST1	EMP8	320.4
10290	11/23/2016	CST1	EMP7	131.4
10290	11/23/2016	CST1	EMP7	1890.45
10290	11/23/2016	CST1	EMP7	294.9
10290	11/23/2016	CST1	EMP7	134.9
10338	1/21/2014	CST1	EMP8	524.8
10338	1/21/2014	CST1	EMP8	381
10349	2/3/2016	CST1	EMP7	820.32
10463	2/28/2017	CST1	EMP8	203.07

A data architect needs to build a dashboard that displays the aggregated sales for each sales representative. All aggregations on the data must be performed in the script.

Which script should the data architect use to meet these requirements?

A.

```
Data:
LOAD
    [OrderID],
    [OrderDate],
    [CustomerID],
    [EmployeeID],
    [Sales]
FROM [lib://Certification Exam/Sample Daa.xlsx]
(coxml, embedded labels, table is Sales);

Emp:
LOAD
    EmployeeID,
    EmployeeName
FROM [lib://Certification Exam/Sample Daa.xlsx]
(coxml, embedded labels, table is Emp);

Summary:
LOAD
    EmployeeName,
    sum([Sales]) as TotalSales
Resident Data Group by (EmployeeName) ;
```

B.

```
Data:
LOAD
    [OrderID],
    [OrderDate],
    [CustomerID],
    [EmployeeID],
    [Sales]
FROM [lib://Certification Exam/Sample Daa.xlsx]
(coxml, embedded labels, table is Sales);

Left Join (Data)
LOAD
    EmployeeID,
    EmployeeName
FROM [lib://Certification Exam/Sample Daa.xlsx]
(coxml, embedded labels, table is Emp);

Summary:
LOAD
    EmployeeName,
    sum([Sales]) as TotalSales
FROM [lib://Certification Exam/Sample Daa.xlsx]
(coxml, embedded labels, table is Sales);
```

A. B.

C.

```
Data:
LOAD
    [OrderID],
    [OrderDate],
    [CustomerID],
    [EmployeeID],
    [Sales]
FROM [lib://Certification Exam/Sample Daa.xlsx]
(ooxml, embedded labels, table is Sales);

Left join (Data)
LOAD
    EmployeeID,
    EmployeeName
FROM [lib://Certification Exam/Sample Daa.xlsx]
(ooxml, embedded labels, table is Emp);

Summary:
LOAD
    EmployeeName,
    sum([Sales]) as TotalSales
Resident Emp Group by (EmployeeName) ;
```

D.

```
Data:
LOAD
    [OrderID],
    [OrderDate],
    [CustomerID],
    [EmployeeID],
    [Sales]
FROM [lib://Certification Exam/Sample Daa.xlsx]
(ooxml, embedded labels, table is Sales);

Left join (Data)
LOAD
    EmployeeID,
    EmployeeName
FROM [lib://Certification Exam/Sample Daa.xlsx]
(ooxml, embedded labels, table is Emp);

Summary:
LOAD
    EmployeeName,
    sum([Sales]) as TotalSales
Resident Data Group by (EmployeeName) ;
```

C. D.

Correct Answer: D

QUESTION 3

Refer to the exhibit.

```
Section Access;  
LOAD * inline [  
ACCESS, USERID, REGION  
ADMIN, DOMAIN\A, NORTH  
ADMIN, DOMAIN\A, WEST  
ADMIN, DOMAIN\B, EAST  
];
```

```
Section Application;  
LOAD * inline [  
REGION,  
NORTH,  
EAST,  
WEST,  
SOUTH  
];
```

How should the account that runs the Qlik Sense Services be configured in the Section Access table?

- A. ADMIN, QLIK_SERVICES,
- B. ADMIN, DOMAIN/QLIK_SERVICES,
- C. ADMIN, QLIK_SERVICES,*
- D. ADMIN, DOMAIN\QLIK_SERVICES,*

Correct Answer: C

QUESTION 4

Refer to the exhibits.

CatID	Value
0A8A1DA5-AA23-C713-CB2A-83CABA5FD517	189
1C5B14DF-B613-10D2-DBCF-C8FA535F059C	316
03A0D34F-F7DA-AE7F-C1B0-392531DC42DB	704
4B8496DA-B5B6-7F74-3BC9-076EA855A570	327
5A4AC55E-AE0C-0432-344A-2F7B8E7CC066	888
5A30CE40-2B91-B114-0DA4-3144C1DF37E3	371
5B80F7B7-A730-5C8F-932F-9E22BB77D43E	-
9E8495EB-9DB0-C80A-709B-CA2DC3E6224E	596
26C4AEF9-E8D2-3E87-00E7-6251CD4513FE	924
042A4655-D3EC-3758-42B0-6046069F3BB3	639
58C38173-DD6A-BADB-2670-494612A8D38A	-
60BDE857-72EF-93AE-6F39-6FF551F1A420	-
70007000-0000-0000-0000-000000000000	700

```
LIB CONNECT TO 'DemoCORP SQL Server';
```

```
Values:
```

```
LOAD
```

```
    CatID,
```

```
    Value
```

```
FROM SalesDB.AgregatedValues;
```


```
left join
```

```
LOAD
```

```
    CatID,
```

```
    ProdID
```

```
FROM SalesDB.Categories;
```



Values
CatID
Value
ProdID

Value	
Density	100%
Subset ratio	100%
Has duplicates	true
Total distinct values	28
Present distinct values	28
Non-null values	31

Business analytics report data issues in the Value field of a table since the latest reload of the data.

What causing this issue?

- A. Null values in the source data
- B. Hyphen characters ('-') in the source data
- C. Pre-aggregated data is being used
- D. Some categories do NOT exist in the Category table

Correct Answer: A

QUESTION 5

Refer to the exhibit.

	A	B	C	D
1	Region	CustomerID	FirstPurchase	RecentPurchase
2	A	1	1/1/2016	3/2/2017
3		2	1/17/2016	4/12/2017
4		3	2/1/2016	2/1/2016
5		4	12/1/2016	7/19/2017
6	B	10	1/1/2016	3/2/2017
7		11	1/17/2016	4/12/2017
8		12	2/1/2016	2/1/2016
9		13	12/1/2016	7/19/2017
10		14	1/1/2016	3/2/2017
11		15	1/17/2016	4/12/2017
12	C	100	2/1/2016	2/1/2016
13		101	12/1/2016	7/19/2017
14		102	1/17/2016	4/12/2017
15		103	2/1/2016	2/1/2016

One of the data sources a data architect must add for a newly developed app is an Excel spreadsheet. The Region field only has values for the first record for the region. The data architect must perform a transformation so that each row contains the correct Region.

Which function should the data architect implement to resolve this issue?

- A. CrossTable
- B. IntervalMatch
- C. Above
- D. Previous

Correct Answer: B