

# S10-210<sup>Q&As</sup>

Storage Networking Management and Administration

**Pass SNIA S10-210 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/s10-210.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SNIA  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The CIO would like to segregate management device IP network traffic from server IP network traffic within the data center to limit potential security threats.

What would be used to accomplish this?

- A. IPsec
- B. Firewall
- C. VLANs
- D. PKI

Correct Answer: C

---

**QUESTION 2**

A line of business (LOB) executive informs you that a new application requires 99.999% (five 9s) of uptime from both planned and unplanned outages before a service level objective (SLO) will be breached.

What is the amount of permissible downtime per week?


- A. 20.16 minutes
- B. .605 seconds
- C. 5.04 minutes
- D. 6.06 seconds

Correct Answer: D

---

**QUESTION 3**

Click the Exhibit button.



Which RAID level is shown in the exhibit?

- A. RAID 4
- B. RAID 5
- C. RAID 0
- D. RAID 6

Correct Answer: D

**QUESTION 4**

A business critical enterprise resource planning (ERP) system uses a central database at a company's primary data center. The company has built an out-of-region disaster recovery data center and intends to implement a standby ERP system with an eight hour RTO and 30 minute RPO.

Which architectural approach to implement service continuity for the ERP database will meet the RTO and RPO targets?

- A. Implement asynchronous replication of the ERP database, application, and middle tiers to ensure the ERP system is back online with less than 30 minutes of data loss within eight hours of an event.
- B. Implement asynchronous replication of the ERP database, application, and middle tiers to ensure the ERP system is back online with less than eight hours of data loss within 30 minutes of an event.
- C. Perform daily full database backups to tape and overnight ship the backup tape media from one data center to the other to ensure the ERP system is back online with less than eight hours of data loss within 30 minutes of an event.
- D. Implement synchronous database replication and configure application logic to ensure transactions are identical in both data centers as the recovery objectives do not allow for any inflight data loss.

Correct Answer: A

---

**QUESTION 5**

A security audit reveals deficiencies in your company's FC zoning practices. Your manager asks you to make a recommendation to implement the most secure FC zoning possible. Your company is using switches from a single vendor.

What do you recommend?

- A. All zones should use frame-based hardware enforcement using pWWN identification exclusively for all configurations.
- B. All zones should use software-based enforcement using pWWN identification exclusively for all configurations.
- C. All zones should use frame-based hardware enforcement using destination port identification exclusively for all configurations.
- D. All zones should use software-based enforcement using destination port identification exclusively for all configurations.

Correct Answer: A

[S10-210 PDF Dumps](#)

[S10-210 Study Guide](#)

[S10-210 Exam Questions](#)