

VCPN610^{Q&As}

VMware Certified Professional – Network Virtualization

Pass VMware VCPN610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/vcpn610.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which NSX component provides the ability to provide East-West distributed routing for virtual machines in different subnets without having to traverse the physical network?

- A. NSX vSwitch
- B. NSX Edge
- C. NSX Controller
- D. NSX Distributed Firewall

Correct Answer: B

QUESTION 2

In a data center using a leaf and spine architecture, which two statements define the connectivity between the leaf and spine tiers required to provide optimal network connectivity for NSX? (Choose two.)

- A. Links are required between leaf and spine switches, and from each spine switch to other spine switches in the architecture.
- B. Links are required between leaf and spine switches in the architecture to form a point-to-point connection between the two tiers.
- C. High availability and scalability should be achieved using NSX High Availability.
- D. High availability and scalability should be achieved using Equal Cost Multipathing (ECMP).

Correct Answer: BD

QUESTION 3

A company has augmented its Data Center infrastructure by using vCloud Hybrid Service during peak hours. The company wants to extend their existing subnets into the cloud while workloads retain their existing IP addresses. The virtual machines in these subnets use an NSX Edge Gateway as their default gateway.

Which solution should this company use?

- A. Layer 2 VPN
- B. MPLS VPN
- C. IPSec VPN
- D. SSL VPN

Correct Answer: A

QUESTION 4

Which three network policy settings can only be configured on a vSphere 5.5 Distributed Switch? (Choose three.)

- A. Access Control Lists (ACLs)
- B. Network I/O Control
- C. LACP v2
- D. NetFlow
- E. DSCP Marking

Correct Answer: ACE

QUESTION 5

A company wants to deploy VMware NSX for vSphere with no PIM and no IGMP configured in the underlying physical network. This company also must ensure that non-ESXi hosts do not receive broadcast, unknown unicast or multicast (BUM) traffic.

Which replication mode should the logical switches be deployed with?

- A. Unicast Replication Mode
- B. Multicast Replication Mode
- C. Hybrid Replication Mode
- D. Transport Zone Mode

Correct Answer: A

[VCPN610 VCE Dumps](#)

[VCPN610 Practice Test](#)

[VCPN610 Exam Questions](#)