![Pass2Lead logo](https://Pass2Lead.com)

# VCS-254<sup>Q&As</sup>

Administration of Veritas Cluster Server 6.1 for UNIX

## Pass Veritas VCS-254 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.pass2lead.com/vcs-254.html**

### 100% Passing Guarantee
### 100% Money Back Assurance

Following Questions and Answers are all new published by Veritas Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

![Pass2Lead](https://Pass2Lead.com)
**QUESTION 1**

Which resource type attributes can be set in order to tune VCS failover characteristics? (Choose two.)

A. Flags

B. RestartLimit

C. ToleranceLimit

D. OfflineTimeout

E. OfflineMonitorInterval

Correct Answer: BC

**QUESTION 2**

What is the default VCS Web console service group?

A. WebService

B. WWWService

C. ClusterService

D. ClusterWeb

Correct Answer: C

**QUESTION 3**

Which two pieces of information about database agents should the administrator be aware of when placing a database under Veritas Cluster Server (VCS) control? (Select two.)

A. They are included in the VRTSdbed package for all installation options.

B. They are automatically installed if the administrator selects "recommended" or "all package" sets.

C. They must be installed on all the failover target systems, regardless of whether they will run the database.

D. Agent-specific type files are automatically added to the VCS configuration after the administrator installs agents manually.

E. They can be installed manually from the software distribution using operating system utilities.

Correct Answer: BE

**QUESTION 4**

Which requirements must be met to cluster an application? (Choose two.)

A. Recover to a known state

B. Start without manual intervention

C. Be host name dependent

D. Store data on a shared storage

E. Have a predictable process hierarchy

Correct Answer: AB

**QUESTION 5**

Which attributes can be used to change the default failover behavior of a failover service group that is online on a cluster system? (Choose three.)

A. RetryLimit

B. ConfidenceLevel

C. ConfInterval

D. RestartLimit

E. ToleranceLimit

Correct Answer: CDE

[Latest VCS-254 Dumps](#)            [VCS-254 Practice Test](#)            [VCS-254 Braindumps](#)