

VCS-255^{Q&As}

Administration of Veritas Storage Foundation 6.1 for UNIX

Pass Veritas VCS-255 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/vcs-255.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What should be done after a volume with a previously mounted file system is removed from VEA?

- A. run the vxdisk -cleanup command to remove the old file system name from the private region and the file system table file
- B. run the vxfs clean command to remove the old file system name from the private region and the file system table file
- C. edit the Veritas Volume Manager file system table file manually to remove the entry for the old file system
- D. edit the OS-specific file system table file manually to remove the entry for the old file system

Correct Answer: D

QUESTION 2

Which states are displayed in the output of vxprint? (Choose two.)

- A. Data
- B. Kernel
- C. File System
- D. Volume
- E. User

Correct Answer: BD

QUESTION 3

Hot-relocation is available for which two types of volume layouts? (Select two.)

- A. striped
- B. striped-mirror
- C. striped with parity
- D. concatenated with hot standby disk
- E. striped with hot standby disk

Correct Answer: BC

QUESTION 4

What is the result of executing the command `vxdg -tC -n appldg import datadg`?

- A. The `appldg` disk group is renamed as `datadg` and forcibly imported to a new host.
- B. The `appldg` disk group is temporarily imported using the new name `datadg` and import locks are cleared upon import.
- C. The `datadg` disk group is temporarily imported using the new name `appldg` and import locks are cleared upon import.
- D. The `datadg` disk group is forcibly imported under the new name `appldg`, unless import locks exist, in which case the import fails.

Correct Answer: C

QUESTION 5

Which command(s) are used to move the `datadg` disk group from system S1 to system S2?

- A. (on S1) `vxdg -g datadg -switch -system S2`
- B. (on S1) `vxdg deport datadg`; (on S2) `vxdg import datadg`
- C. (on S1) `vxdg deport -n S2 datadg`; (on S2) `vxdctl enable`
- D. (on S1) `vxdg -switch datadg -to S2`

Correct Answer: D

[Latest VCS-255 Dumps](#)

[VCS-255 Practice Test](#)

[VCS-255 Braindumps](#)