

VCS-256^{Q&As}

Administration of Veritas InfoScale Availability 7.1 for UNIX/Linux

Pass Veritas VCS-256 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/vcs-256.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

How is the Authority attribute of a global service group used?

- A. to authorize the users who have administrative privileges over the global service group
- B. to authorize the cluster on which all administrative actions should be performed for the global service group
- C. to give authority for automated failover of the global service group across remote clusters
- D. to specify the right to attempt bringing the global service group online in the cluster

Correct Answer: D

Reference: https://sort.symantec.com/public/documents/vcs/6.0/aix/productguides/html/vcs_admin/apds04.htm

QUESTION 2

Which two resource attributes must the administrator set correctly to prevent an outage when a new resource is brought online? (Select two.)

- A. AutoDisabled
- B. Critical
- C. Enabled
- D. Frozen
- E. MonitorOnly

Correct Answer: BC

QUESTION 3

An administrator wants to make a new application highly available.

Which two capabilities must the application have to be managed by Veritas Cluster Server? (Select two.)

- A. the ability to monitor each instance of the application independently.
- B. the ability to be installed on shared storage
- C. the ability to determine if the application is running
- D. the ability to notify the administrator of the application's state
- E. the ability to disconnect users from the application

Correct Answer: AC

QUESTION 4

An administrator has started a cluster using `hastart`.

Which two commands should the administrator use to determine where each service group is running? (Select two.)

- A. `hasys -display`
- B. `hasys -state`
- C. `hastatus -sum`
- D. `haclus -state`
- E. `hagr -state`

Correct Answer: CE

Reference: <https://jturgasen.github.io/2014/10/10/symantec-cluster-server-quick-reference>

QUESTION 5

Which two characteristics represent a Veritas Cluster Server (VCS) resource? (Select two.)

- A. A VCS resource corresponds to a hardware or software component.
- B. A VCS resource allows cyclical dependencies without a clear starting point.
- C. A VCS resource allows only persistent resources to be a parent.
- D. A VCS resource has a unique name throughout the cluster.
- E. A VCS resource has a single entry point that the agent uses to control the resource.

Correct Answer: AD

Reference: https://sort.veritas.com/public/documents/vcs/5.0/solaris/sparc/productguides/html/vxfas_vcsagent_install/02.symm_setup8.html

[VCS-256 PDF Dumps](#)

[VCS-256 VCE Dumps](#)

[VCS-256 Practice Test](#)