

# VCS-273<sup>Q&As</sup>

Administration of Veritas NetBackup 7.6.1 and NetBackup Appliances  
2.6.1

## Pass Veritas VCS-273 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/vcs-273.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which configuration file should an administrator modify to enable local fingerprint caching on a Netbackup MSDP client?

- A. spa.cfg
- B. pd.conf
- C. contentrouter.cfg
- D. agent.cfg

Correct Answer: B

---

**QUESTION 2**

NetBackup has frozen some of the tapes added to the robot.

Which log must be enabled to determine why the tapes were frozen?

- A. ltid
- B. robots
- C. bptm
- D. bpdm

Correct Answer: C

---

**QUESTION 3**

An administrator has backups failing with status code 96 due to tapes being prevented from returning to the scratch volume pool after the images they contain expire. What prevented the media from returning to the scratch pool?

- A. media was created in volume pools other than the scratch pool
- B. media was in an off-site location
- C. media was written with multiplexed images
- D. an application other than NetBackup wrote to the media

Correct Answer: A

---

**QUESTION 4**

A new storage shelf is added to an existing appliance.

Which command under Manage > Storage must the administrator perform first after a new shelf is connected to the appliance and the appliance is powered on?

- A. Add operation to add a new disk
- B. Scan operation to scan for new storage
- C. Resize operation to resize the data partitions
- D. Reset operation to reset the storage

Correct Answer: B

---

**QUESTION 5**

A VMware policy has been configured to back up a Linux virtual machine. Which condition must be met to ensure all data is flushed from memory to disk?

- A. SYMCquiesce utility must be installed
- B. exclude swap and paging files must be unchecked
- C. the virtual machine must be running RedHat Enterprise Linux
- D. VMware Tools services must be stopped

Correct Answer: A

[Latest VCS-273 Dumps](#)

[VCS-273 PDF Dumps](#)

[VCS-273 Practice Test](#)