

# 050-80-CASECURID01<sup>Q&As</sup>

RSA SecurID Certified Administrator 8.0 Exam

## Pass RSA 050-80-CASECURID01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/050-80-casecurid01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

When a user authenticates with a token for the first time, what does the user enter when prompted for a PASSCODE?

- A. the serial number of the token
- B. the tokencode on the token's display
- C. a PIN the user creates followed by their tokencode
- D. a temporary PASSCODE assigned by the Administrator

Correct Answer: B

---

**QUESTION 2**

The "Quick Search" function that allows access to a user's account, token and recent activity is a feature of

- A. The User Dashboard.
- B. The Self-Service Console.
- C. On-Demand Authentication.
- D. The Windows MMC Snap-In.

Correct Answer: A

---

**QUESTION 3**

If multiple users request On-demand Tokencodes but are not receiving them, what would be an appropriate action to take?

- A. Verify that the users are not in New PIN mode.
- B. Verify that SMS or SMTP services are configured correctly.
- C. Ensure that the token codes assigned to the users have not expired.
- D. Verify that the user's receiving device is set to the same time zone as the Authentication Manager instance.

Correct Answer: B

---

**QUESTION 4**

Within which RSA Authentication Manager menu would you configure the number of incorrect PASSCODES that will invoke Next Tokencode Mode?

- A. Policies
- B. System Setup
- C. Identity Settings
- D. RADIUS Lockout

Correct Answer: A

---

#### QUESTION 5

RSA SecurID tokens are initially supplied with matching token records. After tokens are assigned, deployed and used by end-users, what information might be overwritten if the original token records are re-imported into the RSA Authentication Manager database? (Choose two)

- A. user assignment
- B. tokencode values
- C. Authentication Agent usage
- D. token time offset information
- E. system PIN parameter settings

Correct Answer: AD

---

#### QUESTION 6

Token expiration dates:

- A. Appear on the token display thirty days prior to expiration.
- B. Are programmed into a token record at the time of manufacture.
- C. Vary according to the date set by the administrator when assigning the token.
- D. Depend on the clock in the Authentication Agent to determine if the token is active.

Correct Answer: B

---

#### QUESTION 7

If an administrator creates a new administrative user,

- A. by default, the new administrator must use a SecurID token to log in.
- B. the administrator creating the new user must have at least a Super Admin role.

- C. by default, the new user has permissions identical to the administrator creating the new user.
- D. permissions granted to the new user can not exceed those of the administrator creating the new user.

Correct Answer: D

---

#### QUESTION 8

When assigning a user a Temporary Fixed Tokencode to replace a lost token, what is the default value for the expiration period of that Tokencode?

- A. 24 hours
- B. 5 days
- C. 14 days
- D. 30 days

Correct Answer: C

---

#### QUESTION 9

Can multiple Identity Sources be established from the same LDAP directory?

- A. Yes, if the mapped Organizational Units (OUs) do not overlap.
- B. Yes, if duplicate attribute values do not exist in the LDAP directory.
- C. No ?only one LDAP directory can be mapped to one Identity Source.
- D. Yes, if no duplicate passwords exist in the LDAP directory (unique password for each user).

Correct Answer: A

---

#### QUESTION 10

What are three minimal administrative steps that must be taken before a user can authenticate to a new RSA Authentication Manager deployment? (Choose three)

- A. Create a user group
- B. Create a user account
- C. Create a new user administrator
- D. Import a Node Secret from the Agent
- E. Create an Authentication Agent Record

F. Assign an authentication method to a user

Correct Answer: BEF

---

**QUESTION 11**

If the option "Automatically delete replaced tokens" is selected, the token records will be deleted when

- A. new tokens are imported.
- B. the token expiration date is reached.
- C. the Administrator unassigns the token from a user.
- D. a user logs in successfully with a new assigned token.

Correct Answer: D

---

**QUESTION 12**

A "Secured by RSA Security Implementation Guide" document would assist you in

- A. Configuring a third-party Authentication Agent.
- B. Installing RSA Authentication Manager software.
- C. Finding vendors for purchasing RSA SecurID tokens.
- D. Defining a deployment plan for installing Primary and Replica instances.

Correct Answer: A

---

**QUESTION 13**

When is the user PIN established?

- A. when the useraccount is first created
- B. at the time a token is first assigned to a user
- C. upon the first successful authentication with the token
- D. after the user successfully enters two sequential tokencodes

Correct Answer: C

---

**QUESTION 14**

If the access time range allowed for a group is specified as 8 AM to 6 PM each weekday, which statement about a group member's login is true?

- A. All group members will be logged out automatically at 6 PM.
- B. A user will be prompted to renew their login each day after 8 AM.
- C. A user's individual access times override a group's access time range.
- D. Once logged in during the allowed time period, a user can remain logged in indefinitely.

Correct Answer: D

---

**QUESTION 15**

When adding a new Authentication Agent record to the RSA Authentication Manager database, an attempt is made to resolve the hostname of the Agent Host with its IP Address. If the attempt fails,

- A. the administrator can override the hostname/IP Address by using the Auto-Registration option.
- B. the Agent is added to the database with a `Pending` status until it is first used for a successful authentication.
- C. a warning is given that the hostname/IP Address cannot be resolved but the database will allow the Agent to be added.
- D. the administrator must correct the address resolution through DNS or editing the /etc/hosts file before the Agent can be added to the database.

Correct Answer: C

[Latest  
050-80-CASECURID01  
Dumps](#)

[050-80-CASECURID01  
Exam Questions](#)

[050-80-CASECURID01  
Braindumps](#)