Pass2Lead

https://Pass2Lead.com

117-201^{Q&As}

Linux Advanced Administration

Pass home 117-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/117-201.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

During which stage of the boot process would this message be seen? ide_setup: hdc=ide-scsi

A. Daemon initialization and setup.

B. Boot loader start and hand off to kernel.

C. Hardware initialization and setup.

D. Kernel loading.

Correct Answer: D

QUESTION 2

What command will remove the physical volume /dev/sda4 from the volume group /dev/vg0?

(Provide the command with options and parameters)

Correct Answer: vgreduce fdevfvg0 fdevfsda4

QUESTION 3

Which of the following sentences is true for the shown BIND9 configuration?

options {

directory "/var/named"; allow-

query { any; };

allow-recursion {l27.0.0.l; l0.0.0.0/24; };

forwarders {192.168.0.4; };

forward first;

};

zone"." {

type hint;

file"named.ca";

};

A. Any host, from any network, may use this server as its main DNS server.

B. If the server doesn\\'t know the answer to a query, it sends a recursive query to 192.168.0.4.

C. Ifthe server doesn\\'tknow the answer to a query, it sends a query toa rootDNS server.

D. Hosts in the network l0.0.0.0/24 will be able to ask for zone transfers.

E. If the server doesn\\'t know the answer to a query, it sends a recursive query to 192.168.0.4 and, if this fails, it returns a failure.

Correct Answer: B

QUESTION 4

During which stage of the boot process would this message be seen? Ide0: BM-DMA at 0xff00-0xff07, BIOS settings: hda:DMA, hdb:DMA

A. Boot loader start and hand off to kernel

B. Kernel loading

C. Hardware initialization and setup

D. Daemon initialization and setup

Correct Answer: C

QUESTION 5

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

Correct Answer: by-uuid

QUESTION 6

Please enter, separated with a space but without paths, the TWO archive programs needed in addition to gzip, to extract files from a .deb file without using the Debian package manager.

Correct Answer: ar tar

QUESTION 7

Which ONE of the following wireless tools can be used to check the wireless network link quality?

A. iwconfig

B. iwlink

C. iwscan

D. iwifi

Correct Answer: A

QUESTION 8

According to the configuration below, what is the e-mail address of the administrator for this domain?

$TTL 86400 $ORIGIN lpi.org @ IN SOA test.lpi.org hostmaster.lpi.org (20050l0l0l l0800 3600 604800 86400)

Correct Answer: hostmaster@lpi.org

QUESTION 9

Messages from programs are not appearing in the user\\'s native language. What environment variable must be set for this to happen?

A. LANG

B. Il8N

C. MESSAGES

D. MSGS

E. LC_MSGS

Correct Answer: A

QUESTION 10

Which file contains configuration data for automount? Please enter the complete path.

Correct Answer: fetcfauto.master

QUESTION 11

What command is used to create an ISO9660 filesystem that can be properly accessed from a Windows 95/98 machine?

A. mkisofs -l -o backup.iso /home/joe

B. mkisofs -J -T -r -o backup.iso /home/joe

C. mkisofs -D -T -o backup.iso /home/joe

D. mkisofs -j -T -o backup.iso /home/joe

E. mkisofs -d -T -o backup.iso /home/joe

Correct Answer: B

QUESTION 12

WhereshouldtheLILOcodereside, onasystemwithonlyoneinstallationofLinuxandnootheroperatingsystems?

A. In the master boot record

B. In the boot sector

C. In the /boot directory

D. At the start of the kernel

Correct Answer: A

QUESTION 13

After unpacking source code, what file is used by configure to create a final Makefile?

A. configure.in

B. configure.ac

C. Makefile.in

D. Makefile.tmpl

Correct Answer: C

QUESTION 14

What needs to be done to enable 32 bit I/O transfer mode for (E)IDE disks, on a system running a 2.4 series Linux kernel?

A. The Linux kernel must be recompiled.

B. The sysctl utility must be used.

C. The hdparm utility must be used.

D. This feature isn\\'t supported in 2.4 series kernels.

E. This feature is enabled by default in 2.4 series kernels

Correct Answer: C

QUESTION 15

You are not sure whether the kernel has detected a piece of hardware in your machine. What command, without options or parameters, should be run to present the contents of the kernel ring- buffer?

Correct Answer: fbinfdmesg

117-201 PDF Dumps   117-201 Practice Test   117-201 Study Guide