

# 1Z0-072<sup>Q&As</sup>

Oracle Database 12cR2 Administration

## Pass Oracle 1Z0-072 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/1z0-072.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





### **QUESTION 1**

Which two tasks can be performed in the NOMOUNT state? (Choose two.)

- A. re-creating control files
- B. full database recovery
- C. enabling online redo log archiving
- D. renaming data files
- E. creating a database

Correct Answer: AE

Reference: https://books.google.com.pk/books?id=82Vbdt-nZAgCandpg=PA111andlpg=PA111anddq=oracle +tasks+can+be+performed+in+the+NOMOUNT

+stateandsource=blandots=24tpIWNn0vandsig=ACfU3U39HP0usj4np24T\_bi0d1J8AK8yQwandhl=enandsa=Xandredir\_esc=y#v=onepageandq=oracle%20tasks%20can%20be%20performed%20in%20the%20NOMOUNT%20stateandf=false

#### **QUESTION 2**

EMP\_IDX is an index on the EMP.ENO column. EMP and EMP\_IDX reside in the TBS1 tablespace. During an INSERT into EMP, you get this error:

```
ERROR at line 1: ORA-01654: unable to extend index USERS.EMP IDX BY 8 in tablespace TBS1
```

Which two actions would you take to correct the space problem in TBS1 without affecting uncommitted transactions on EMP? (Choose two.)

- A. Drop and re-create EMP\_IDX.
- B. Coalesce EMP\_IDX.
- C. Shrink EMP.
- D. Rebuild EMP\_IDX online in a tablespace with sufficient space.
- E. Shrink TBS1.

Correct Answer: AB

## **QUESTION 3**

Which two are true about instance recovery? (Choose two.)



- A. It is guaranteed to complete within fast\_start\_mttr\_target number of seconds.
- B. Archived REDO log files are required to perform instance recovery.
- C. The database opens after the roll forward phase of instance recovery.
- D. It is performed when mounting a database.
- E. Archived REDO log files are never required to perform instance recovery.
- F. It occurs after a SHUTDOWN IMMEDIATE.

Correct Answer: AC

#### **QUESTION 4**

Examine these commands: What is the expected result?

SQL> DESC u1.emp

Name	Null?	TYPE	
EMP_ID		NUMBER	
ENAME		VARCHAR2 (3)	
SAL		NUMBER	

SQL> exit

[oracle@host01 ~]\$ cat emp.dat

1, Ben, 2000

2, Alan, 3000

3, Kevin, 4000

4, Sam, 5000

## [oracle@host01 ~]\$ sqlldr u1/oracle table=emp

- A. It fails because EMP.DAT has some records with more than three characters corresponding to U1.EMP.ENAME.
- B. Only the first row in EMP.DAT is inserted into U1.EMP.
- C. Only the first and fourth rows in EMP.DAT are inserted into U1.EMP.
- D. All rows in EMP.DAT are inserted into U1.EMP but ENAME is set to ### for the second and third rows.

## https://www.pass2lead.com/1z0-072.html

2023 Latest pass2lead 1Z0-072 PDF and VCE dumps Download

E. All rows in EMP.DAT are inserted into U1.EMP but ENAME is set to NULL for the second and third rows.

Correct Answer: D

#### **QUESTION 5**

DATADIR1 and DATADIR2 are database directory objects.

Examine this command: Which two are true about the expdp operation? (Choose two.)

```
[oracle@host01 ~] expdp system/oracle \
> FULL=y \
> DUMPFILE=datadir1:full%U.dmp, datadir2:full2%U.dmp \
> FILESIZE=2G \
> PARALLEL=4 \
> LOGFILE=datadir1:/expfull.log
> JOB_NAME=expfull
```

- A. It creates a dump file for the entire database.
- B. It fails if the total size of the dump file is more than 2 GB.
- C. It creates a dump file only for objects in the SYSTEM schema.
- D. It creates a master table to store details of the export operation.
- E. It starts only when four worker processes are available.

Correct Answer: AE

Reference:

https://docs.oracle.com/database/121/SUTIL/GUID-1E134053-692A-4386-BB77153CB4A6071A.htm#SUTIL887

#### **QUESTION 6**

In a database, the default temporary tablespace is TEMP and USER1\\'s default tablespace is DATA. Examine these parameters:



NAME	TYPE	VALUE
TEMP_UNDO_ENABLED	boolean	TRUE
UNDO_MANAGEMENT	string	AUTO
UNDO_RETENTION	integer	900
UNDO_TABLESPACE	string	UNDOTBS1

Which tablespace stores UNDO generated by USER1\\'s DML on temporary tables?

- A. DATA
- B. SYSTEM
- C. SYSAUX
- D. TEMP
- E. UNDOTBS1

Correct Answer: D

## **QUESTION 7**

Your database instance was shut down normally and then started in NOMOUNT state. You then execute this command:

## ALTER DATABASE MOUNT;

Which two actions are performed? (Choose two.)

- A. The control file is read.
- B. The online data files are opened.
- C. The online redo logs are opened.
- D. The Oracle background processes are started.
- E. The alert log records the execution details.
- F. The initialization parameter file is read.

Correct Answer: AD



#### **QUESTION 8**

The SCOTT/TIGER user exists in two databases, BOSTON\_DB and DALLAS\_DB, in two different

locations.

Each database has a trsnames.ora file defining DALLAS\_DB as a service name.

Examine this command:

CREATE DATABASE LINK dblink1 CONNECT TO scott IDENTIFIED BY tiger USING 'dallas db';

How do you execute the command so that only SCOTT in BOSTON\_DB can access the SCOTT schema in DALLAS\_DB?

- A. as SCOTT in BOSTON\_DB
- B. as SYS in both the databases
- C. as SCOTT in BOSTON\_DB and SYS in DALLAS\_DB
- D. as SCOTT in both the databases
- E. as SCOTT in DALLAS\_DB

Correct Answer: D

#### **QUESTION 9**

Which two are true about RETENTION GUARANTEE? (Choose two.)

- A. It is a tablespace attribute.
- B. It prevents FLASHBACK DATABASE operation failure.
- C. It prevents out-of-space errors.
- D. It prevents "Snapshot too old" errors.
- E. It is a static parameter.

Correct Answer: AB

#### **QUESTION 10**

Your client application and Oracle database are located on different hosts. Which statement is true about establishing a connection between them?



## https://www.pass2lead.com/1z0-072.html

2023 Latest pass2lead 1Z0-072 PDF and VCE dumps Download

- A. Oracle Connection Manager must be installed on the client.
- B. Net service names must be configured on both the client and database servers.
- C. The Listener Control utility must be installed on the client if you are using the default listener on the server.
- D. Only Oracle Net can be used.
- E. Oracle Net Listener is required.

Correct Answer: D

Reference: https://docs.oracle.com/cd/E25178\_01/server.1111/e25789/dist\_pro.htm

#### **QUESTION 11**

Which is a machine image in Oracle Cloud?

- A. the number of OCPUs and amount of memory allocated to an instance
- B. the physical persistent block storage space allocated to an instance
- C. the number of OCPUs, amount of memory, and persistent block storage space allocated to an instance
- D. a template of a virtual hard disk of specific size without an operating system installed
- E. a template of a virtual hard disk of specific size with an installed operating system

Correct Answer: E

Reference: https://docs.oracle.com/en/cloud/iaas/compute-iaas-cloud/stopc/machineimage.html#GUID3CE8D227-81EC-43EF-A80B-B6D3380ED526

### **QUESTION 12**

Which statement is true about an undo tablespace created using the Database Configuration Assistant (DBCA)?

- A. It contains undo only for uncommitted transactions.
- B. It is used for the FLASHBACK TABLE...TO BEFORE DROP operation.
- C. It can be recovered while the instance is open in READ WRITE mode.
- D. It must be a smallfile tablespace.
- E. It is a locally managed tablespace.

Correct Answer: AD

## **QUESTION 13**



## https://www.pass2lead.com/1z0-072.html

2023 Latest pass2lead 1Z0-072 PDF and VCE dumps Download

Which two are segment types? (Choose two.)

- A. table partition
- B. materialized views on a prebuilt container
- C. stored procedure
- D. sequence
- E. table
- F. view

Correct Answer: AE

Reference: http://www.adp-gmbh.ch/ora/concepts/segments.html

**QUESTION 14** 

Which two are responsibilities of an Oracle DBA regarding database availability, backup, and recovery?

- A. decreasing Mean Time Between Failures (MTBF) by configuring FLASHBACK mode
- B. implementing FLASHBACK DATA ARCHIVE to decrease MTBF
- C. ensuring that critical components are protected by implementing redundancy
- D. decreasing Mean Time to Recover (MTTR) by configuring FLASHBACK mode
- E. implementing FLASHBACK DATA ARCHIVE to decrease MTTR

Correct Answer: CD

#### **QUESTION 15**

Which three failures require intervention for recovery? (Choose three.)

- A. a user error such as dropping the wrong table
- B. network interface card (NIC) failure
- C. user process failure
- D. statement failure
- E. media failure

Correct Answer: ACE

**1Z0-072 VCE Dumps** 

1Z0-072 Practice Test

1Z0-072 Exam Questions