

200-710^{Q&As}

Zend Certified Engineer

Pass Zend-Technologies 200-710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/200-710.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Zend-Technologies Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which is the most efficient way to determine if a key is present in an array, assuming the array has no NULL values?

- A. `in_array('\\key\\', array_keys($a))`
- B. `isset($a[\\key\\])`
- C. `array_key_exists('\\key\\', $a)`
- D. None of the above

Correct Answer: B

QUESTION 2

What is the output of the following code?

```
class Bar {  
  
private $a = '\\b\\';  
  
public $c = '\\d\\';  
  
}  
  
$x = (array) new Bar();  
  
echo array_key_exists('\\a\\', $x) ? '\\true\\' : '\\false\\';  
  
echo '\\-\\';  
  
echo array_key_exists('\\c\\', $x) ? '\\true\\' : '\\false\\';
```

- A. false-false
- B. false-true
- C. true-false
- D. true-true

Correct Answer: B

QUESTION 3

Which class of HTTP status codes is used for server error conditions?

- A. 2XX
- B. 3XX

C. 4XX

D. 5XX

Correct Answer: D

QUESTION 4

Which of the following will NOT instantiate a DateTime object with the current timestamp?

A. `$date = new DateTime();`

B. `$date = new DateTime('@' . time());`

C. `$date = new DateTime('now');`

D. `$date = new DateTime(time());`

Correct Answer: D

QUESTION 5

Which MIME type is always sent by a client if a JPEG file is uploaded via HTTP?

A. `image/jpeg`

B. `image/jpg`

C. `image/pjpeg`

D. Depends on the client system

Correct Answer: D

QUESTION 6

What is cached by an opcode cache?

A. Compiled PHP code

B. Native PHP extensions

C. Data sent to the client

D. Data received from the database

Correct Answer: A

QUESTION 7

Given the following DateTime object, which sample will NOT alter the date to the value `'2014-02-15'`? `$date = new DateTime('2014-03-15');`

- A. `$date->sub(new DateInterval('P1M'));`
- B. `$date->setDate(2014, 2, 15);`
- C. `$date->modify('-1 month');`
- D. `$date->diff(new DateInterval('-P1M'));`

Correct Answer: D

QUESTION 8

CORRECT TEXT

Please provide the name of the super-global variable where all the information about cookies is available.

Correct Answer: `$_COOKIE` -or- `$_COOKIE[]` -or- `_COOKIE` -or- `_COOKIE[]`

QUESTION 9

One common security risk is exposing error messages directly in the browser. Which PHP configuration directive can be disabled to prevent this?

- A. `html_display`
- B. `error_reporting`
- C. `display_errors`
- D. `error_log`
- E. `ignore_repeated_errors`

Correct Answer: C

QUESTION 10

Which elements does the array returned by the function `pathinfo()` contain?

- A. `root`, `dir`, `file`
- B. `dirname`, `filename`, `fileextension`
- C. `dirname`, `basename`, `extension`
- D. `path`, `file`

Correct Answer: C

QUESTION 11

Consider the following table data and PHP code. What is the outcome? Table data (table name "users" with primary key "id"):

id	name	email
1	anna	alpha@example.com
2	betty	beta@example.org
3	clara	gamma@example.net
5	sue	sigma@example.info

PHP code (assume the PDO connection is correctly established):

```
$dsn = \"mysql:host=localhost;dbname=exam\";  
$user = \"username\";  
$pass = \"*****\";  
$pdo = new PDO($dsn, $user, $pass);  
$cmd = \"SELECT * FROM users WHERE id = :id\";  
$stmt = $pdo->prepare($cmd);  
$id = 3;  
$stmt->bindParam(\"id\", $id);  
$stmt->execute();  
$stmt->bindColumn(3, $result);  
$row = $stmt->fetch(PDO::FETCH_BOUND);  
A. The database will return no rows.  
B. The value of $row will be an array.  
C. The value of $result will be empty.  
D. The value of $result will be \"gamma@example.net\".
```

Correct Answer: D

QUESTION 12

What is the output of the following code? `echo \\1\\ . (print \\2\\) + 3;`

- A. 123
- B. 213
- C. 142
- D. 214
- E. Syntax error

Correct Answer: D

QUESTION 13

CORRECT TEXT

Consider the following code:

```
$result = $value1 ??? $value2;
```

Which operator needs to be used instead of ??? so that \$result equals \$value1 if \$value1 evaluates to true, and equals \$value2 otherwise? Just state the operator as it would be required in the code.

Correct Answer: ?:

QUESTION 14

Which of these databases is NOT supported by a PDO driver?

- A. Microsoft SQL Server
- B. SQLite
- C. Microsoft Access
- D. Berkeley DB

Correct Answer: D

QUESTION 15

How many times will the function counter() be executed in the following code?

```
function counter($start, and$stop)  
{
```

```
if ($stop > $start)
{
return;
}
counter($start--, ++$stop);
}
$start = 5;
$stop = 2;
counter($start, $stop);
```

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: C

[Latest 200-710 Dumps](#)

[200-710 VCE Dumps](#)

[200-710 Study Guide](#)