

2V0-31.19^{Q&As}

Professional VMware vRealize Automation 7.6

Pass VMware 2V0-31.19 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/2v0-31-19.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What are two use cases for configuring a third-party identity provider for a directory in vRealize Automation? (Choose two.)

- A. Creating a Just-in-Time User Provisioning directory
- B. Configuring SecureID
- C. Using a SAML 2.0 compliant point of authentication, such as Active Directory Federation Services
- D. Configuring RADIUS
- E. Using Smart Card Authentication

Correct Answer: AC

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.4/com.vmware.vra.prepare.use.doc/GUID93F7569C-D228-4386-8B8D-324E110AFAF6.html>

QUESTION 2

Which two accounts are required to configure the Health Service to run tenant tests for vRealize Automation? (Choose two.)

- A. A user account with root access to the vRealize Automation appliance.
- B. An account with the tenant administrator role assigned.
- C. An account with fabric administrator, infrastructure architect and tenant administrator roles assigned.
- D. A user account with the fabric administrator role assigned.
- E. An account with fabric administrator, tenant administrator and IaaS administrator roles assigned.

Correct Answer: AE

QUESTION 3

When importing machines into vRealize Automation, how is the list of machines populated into the csv file?

- A. Through an inventory object in vRealize Orchestrator
- B. Manually by the administrator
- C. Through data collection on the endpoint
- D. Directly from vSphere inventory through API

Correct Answer: B

Reference: <https://www.helloitscraig.co.uk/2015/08/migrating-vrealize-automation-machine.html>

QUESTION 4

An administrator installs vRealize Automation and adds a new vCenter Server endpoint. Data collection from the vCenter Server is failing resulting in the following error:

```
Error executing query usp_SearchInitializingRequestVirtualMachines  
Inner Exception: Error executing query usp_SelectGroup
```

What is a possible cause of this issue?

- A. Incorrect vCenter Server credentials are being used in the endpoint configuration.
- B. Transport Layer Security (TLS) is disabled on IaaS Windows server machines.
- C. Distributed Transaction Coordinator (DTC) remote transactions are disabled on IaaS Windows Server machines.
- D. The vRealize Automation's Proxy Agent for vSphere service is not running.

Correct Answer: C

Reference: <https://kb.vmware.com/s/article/2089503>

QUESTION 5

During the request for a blueprint named "RHEL-Prod-2.0", machine provisioning fails resulting in the following error message:

```
The following component requests failed: RHEL-Prod-2.0.  
java.lang.RuntimeException: [Error code: 42000 ] - [Error Msg:  
Infrastructure service provider error: The list of unallocated IP  
addresses for the network profile NetworkSegment_1 has been exhausted.]
```

How can an administrator gain additional IP addresses?

- A. Run data collection.
- B. Update the reservation priority.
- C. Re-provision the failed virtual machine.
- D. Modify the network profile in the reservation.

Correct Answer: D

QUESTION 6

An administrator needs to change the default tenant name for vRealize Orchestrator.

How can the administrator change the default tenant in vRealize Orchestrator Control Center?

- A. Configure the authentication provider.
- B. Configure system properties.
- C. Modify the tenant name in the VAMI.
- D. Modify host settings.

Correct Answer: A

Reference: <https://docs.vmware.com/en/vRealize-Orchestrator/7.5/com.vmware.vrealize.orchestratorinstall-config.doc/GUID-7927F530-89C1-4127-AA10-D9815421290B.html>

QUESTION 7

An administrator configures a pre-approval event subscription to run vRealize Orchestrator workflow. The workflow does not run when a machine that matches the defined criteria is requested in the service catalog.

What can the administrator do to resolve this issue?

- A. Verify that approvers have executed the approve option.
- B. Verify that the workflow subscription is published.
- C. Verify that approvers belong to specific users and groups.
- D. Verify that the approval policy is associated with the correct resource action.

Correct Answer: B

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.1/com.vmware.vra.extensibility.doc/GUID10FEBA21-CCFA-4C04-92C8-8AC77D230A49.html>

QUESTION 8

Which Azure-related information is needed during an Azure endpoint configuration in vRealize Automation?

- A. Azure license
- B. Subscription ID
- C. Username and password
- D. Azure AD Connect

Correct Answer: B

Reference: <https://theithollow.com/2017/03/20/adding-azure-endpoint-vrealize-automation-7/>

QUESTION 9

A vRealize Automation IaaS administrator needs to create an association between vSphere and NSX endpoints.

What are two possible associations that can be created? (Choose two.)

- A. Multiple NSX-T endpoints associated with multiple vSphere endpoints
- B. One vSphere endpoint associated with a single NSX for vSphere endpoint
- C. One vSphere endpoint associated with multiple NSX-T endpoints
- D. One NSX for vSphere endpoint associated with multiple vSphere endpoints
- E. One vSphere endpoint associated with both an NSX-T and NSX vSphere edge router endpoints simultaneously

Correct Answer: BD

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.5/com.vmware.vra.prepare.use.doc/GUID3051E04E-C809-4E29-A3BF-51053BB2D7BC.html>

QUESTION 10

Which two user roles can create approval policies? (Choose two.)

- A. Approval architect
- B. Infrastructure architect
- C. Approval administrator
- D. Fabric administrator
- E. Tenant administrator

Correct Answer: CE

Reference: <https://docs.vmware.com/en/vRealize-Automation/6.2/com.vmware.vra.concepts.doc/GUID135436AC-CF31-44A1-A358-61D2B68183AE.html>

QUESTION 11

An architect wants to create a composite blueprint with nested components but cannot see the needed component in the blueprints list of the design canvas.

What is a possible reason for this issue?

- A. The nested blueprint is not published.
- B. The nested blueprint is an XaaS blueprint.
- C. The nested blueprint does not have the `_deploymentName` custom property set.

D. The nested blueprint is not part of an entitlement.

Correct Answer: C

QUESTION 12

In order to use an Active Directory user as a managed item in vRealize Automation, what must be created first?

- A. A customer resource that maps to an Active Directory user object (AD:User)
- B. A customer resource that maps to an Active Directory domain controller (AD:DC)
- C. A resource action to add an Active Directory user object (AD:User)
- D. A resource action to add an Active Directory domain controller (AD:DC)

Correct Answer: C

QUESTION 13

Which directory type should be created in a tenant if an administrator wants to use multi-domain or multi-forest deployments?

- A. Active Directory over LDAP
- B. Local User Directory
- C. Active Directory over Integrated Windows Authentication (IWA)
- D. LDAP Directory

Correct Answer: C

QUESTION 14

What is prerequisite for creating a NAT or routed network profile in vRealize Automation?

- A. An existing external network profile
- B. A load balancer
- C. A predefined DNS server
- D. A predefined DHCP range

Correct Answer: A

Existing network configured on the vSphere server. They are the external part of the NAT and routed networks types. An external network profile can define a range of static IP addresses available on the external network. You can use IP ranges obtained from the supplied VMware IPAM endpoint or from a third-party IPAM service provider endpoint that you have registered and configured in vRealize Orchestrator, such as Infoblox IPAM. An IP range is created from an IP

block during allocation. An external network profile with a static IP range is a prerequisite for NAT and routed networks.

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.3/com.vmware.vra.prepare.use.doc/GUIDB6E703B8-6F46-4BE0-998D-9B6B7E402129.html>

QUESTION 15

A vRealize Automation administrator wants to run a vRealize Orchestrator workflow immediately after a virtual machine has been given an IP address by using a vSphere customization specification configured in a blueprint.

Which event subscription machine provisioning state should the administrator use to achieve this?

- A. CloneWorkflow.CustomizeMachine
- B. VMPSMasterWorkflow32.MachineActivated
- C. CloneWorkflow.CustomizeOS
- D. VMPSMasterWorkflow32.RegisterMachine

Correct Answer: D

[2V0-31.19 PDF Dumps](#)

[2V0-31.19 VCE Dumps](#)

[2V0-31.19 Study Guide](#)