

303-200^{Q&As}

LPIC-3 Exam 303: Security, version 2.0

Pass Lpi 303-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/303-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following commands defines an audit rule that monitors read and write operations to the file/ etc/firewall/rules and associates the rule with the name firewall?

- A. auditctl -N firewall -r r: /etc/firewall/rules -r w: etc/firewall/rules
- B. auditctl -A -f/etc/firewall/rules -o r- o w -| firewall
- C. auditctl -w /etc/firewall/rules -p rw -k firewall
- D. auditctl -_read /etc/firewall/rules -_write /etc/firewall/rules --label firewall
- E. echo "n: firewall r:/etc/firewall/rules: w:/etc/firewall/rules:" | auditctl ~

Correct Answer: C

QUESTION 2

Which of the following statements are valid wireshark capture filters? (Choose TWO correct answers.)

- A. port range 10000:tcp-15000:tcp
- B. port-range tcp 10000-15000
- C. tcp portrange 10000-15000
- D. portrange 10000/tcp-15000/tcp
- E. portrange 10000-15000 and tcp

Correct Answer: CE

QUESTION 3

When OpenVPN sends a control packet to its peer, it expects an acknowledgement in 2 seconds by default. Which of the following options changes the timeout period to 5 seconds?

- A. -tls-timeout 5
- B. -tls- timeout 500
- C. -tls- timer 5
- D. -tls- timer 500

Correct Answer: A

QUESTION 4

Which of the following commands displays all ebtable rules contained in the table filter including their packet and byte counters?

- A. ebtables -t nat -L -v
- B. ebtables-L-t filter -Lv
- C. ebtables -t filter -L --Lc
- D. ebtables -t filter -Ln -L
- E. ebtables-L -Lc-t filter

Correct Answer: C

QUESTION 5

Which of the following expressions are valid AIDE rules? (Choose TWO correct answers.)

- A. !/var/run/*
- B. append: /var/log/*
- C. /usr=all
- D. #/bin/
- E. /etc p+i+u+g

Correct Answer: AE

QUESTION 6

Given a proper network and name resolution setup, which of the following commands establishes a trust between a FreeIPA domain and an Active Directory domain?

- A. ipa trust-add --type ad addom --admin Administrator --password
- B. ipa-ad -add-trust --account ADDOM\Administrator--query-password
- C. net ad ipajoin addom -U Administrator -p
- D. trustmanager add -_domain ad: //addom --user Administrator -w
- E. ipa ad join addom -U Administrator -w

Correct Answer: A

QUESTION 7

Which of the following keywords are built-in chains for the iptables nat table? (Choose THREE correct answers)

- A. OUTPUT
- B. MASQUERADE
- C. PROCESSING
- D. POSTROUTING
- E. PREROUTING

Correct Answer: ADE

QUESTION 8

Which of the following statements describes the purpose of ndpmon?

- A. It monitors the network for neighbor discovery messages from new IPv6 hosts and routers.
- B. It monitors remote hosts by periodically sending echo requests to them.
- C. It monitors the availability of a network link by querying network interfaces.
- D. It monitors the network for IPv4 nodes that have not yet migrated to IPv6.
- E. It monitors log files for failed login attempts in order to block traffic from offending network nodes.

Correct Answer: A

QUESTION 9

Which of the following practices are important for the security of private keys? (Choose TWO correct answers.)

- A. Private keys should be created on the systems where they will be used and should never leave them.
- B. Private keys should be uploaded to public key servers.
- C. Private keys should be included in X509 certificates.
- D. Private keys should have a sufficient length for the algorithm used for key generation.
- E. Private keys should always be stored as plain text files without any encryption.

Correct Answer: CD

QUESTION 10

Which of the following commands changes the source IP address to 192.0.2.11 for all IPv4 packets which go through the network interface eth0?

- A. `iptables -t nat -A POSTROUTING -o eth0 -j SNAT -to-source 192.0.2.11`

- B. iptables -t nat -A PREROUTING -i etho -j SNAT -to-source 192.0.2.11
- C. iptables -t nat -A POSTROUTING -o etho -j DNAT -to-source 192.0.2.11
- D. iptables -t mangle -A POSTROUTING -i etho -j SNAT -to-source 192.0.2.11
- E. iptables -t mangle -A POSTROUTING -o etho -j SNAT -to-source 192.0.2.11

Correct Answer: A

[303-200 VCE Dumps](#)

[303-200 Practice Test](#)

[303-200 Exam Questions](#)