

# 350-701<sup>Q&As</sup>

Implementing and Operating Cisco Security Core Technologies (SCOR)

## Pass Cisco 350-701 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/350-701.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

Which Cisco DNA Center RESTful PNP API adds and claims a device into a workflow?

- A. `api/v1/fie/config`
- B. `api/v1/onboarding/pnp-device/import`
- C. `api/v1/onboarding/pnp-device`
- D. `api/v1/onboarding/workflow`

Correct Answer: B

---

### QUESTION 2

An administrator is establishing a new site-to-site VPN connection on a Cisco IOS router.

The organization needs to ensure that the ISAKMP key on the hub is used only for terminating traffic from the IP address of 172.19.20.24. Which command on the hub will allow the administrator to accomplish this?

- A. `crypto ca identity 172.19.20.24`
- B. `crypto isakmp key Cisco0123456789 172.19.20.24`
- C. `crypto enrollment peer address 172.19.20.24`
- D. `crypto isakmp identity address 172.19.20.24`

Correct Answer: B

Reference: <https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/security/a1/sec-a1-cr-book/sec-crc4.html>

#wp3880782430The command "crypto enrollment peer address" is not valid either. The command "crypto ca identity ..." is only used to declare a trusted CA for the router and puts you in the caidentity configuration mode. Also it should be followed by a name, not an IP address. For example: "crypto caidentity CA-Server" -> Answer A is not correct. Only answer B is the best choice left.

---

### QUESTION 3

Which Cisco ISE feature helps to detect missing patches and helps with remediation?

- A. posture assessment
- B. profiling policy
- C. authentication policy
- D. enabling probes

Correct Answer: A

Posture assessment is a feature of Cisco Identity Services Engine (ISE) that helps to detect missing patches and helps with remediation. It assesses the security posture of endpoint devices connecting to the network by checking for compliance with security policies and identifying any vulnerabilities, such as missing patches. Once non-compliant devices are identified, ISE can take appropriate actions, such as quarantining the device or providing instructions for remediation.

#### QUESTION 4

What is the concept of continuous integration/continuous delivery pipelining?

- A. The project code is centrally maintained, and each code change should trigger an automated build and test sequence.
- B. The project is split into time-limited cycles, and focuses on pair programming for continuous code review.
- C. The project is split into several phases where one phase cannot start before the previous phase finishes successfully.
- D. Each project phase is independent from other phases to maintain adaptiveness and continual improvement.

Correct Answer: A

#### QUESTION 5

Refer to the exhibit.

```
*Jun 30 16:52:33.795: ISAKMP:(1002): retransmission skipped for phase 1 (time
since last transmission 504)
R1#
*Jun 30 16:52:40.183: ISAKMP:(1001):purging SA., sa=68CEE058, delme=68CEE058
R1#
*Jun 30 16:52:43.291: ISAKMP:(1002): retransmitting phase 1 MM_KEY_EXCH...
*Jun 30 16:52:43.291: ISAKMP (1002): incrementing error counter on sa, attempt 5
of 5: retransmit phase 1
*Jun 30 16:52:43.295: ISAKMP:(1002): retransmitting phase 1 MM_KEY_EXCH
*Jun 30 16:52:43.295: ISAKMP:(1002): sending packet to 10.10.12.2 my_port 500
peer_port 500 (I) MM_KEY_EXCH
*Jun 30 16:52:43.295: ISAKMP:(1002):Sending an IKE IPv4 Packet.
R1#
*Jun 30 16:52:53.299: ISAKMP:(1002): retransmitting phase 1 MM_KEY_EXCH...
*Jun 30 16:52:53.299: ISAKMP:(1002):peer does not do paranoid keepalives.

*Jun 30 16:52:53.299: ISAKMP:(1002):deleting SA reason "Death by retransmission
P1" state (I) MM_KEY_EXCH (peer 10.10.12.2)
*Jun 30 16:52:53.303: ISAKMP:(1002):deleting SA reason "Death by retransmission
P1" state (I) MM_KEY_EXCH (peer 10.10.12.2)
*Jun 30 16:52:53.307: ISAKMP: Unlocking peer struct 0x68287318 for
isadb_mark_sa_deleted(), count 0
*Jun 30 16:52:53.307: ISAKMP: Deleting peer node by peer_reap for 10.10.12.2:
68287318
*Jun 30 16:52:53.311: ISAKMP:(1002):deleting node 79875537 error FALSE reason "IKE
deleted"
R1#
*Jun 30 16:52:53.311: ISAKMP:(1002):deleting node -484575753 error FALSE reason
"IKE deleted"
*Jun 30 16:52:53.315: ISAKMP:(1002):Input = IKE_MSG_INTERNAL, IKE_PHASE1_DEL
*Jun 30 16:52:53.319: ISAKMP:(1002):Old State = IKE_I_MM5 New State = IKE_DEST_SA
```

A network administrator configured a site-to-site VPN tunnel between two Cisco IOS routers, and hosts are unable to communicate between two sites of VPN. The network administrator runs the debug crypto isakmp sa command to track VPN status. What is the problem according to this command output?

- A. hashing algorithm mismatch
- B. encryption algorithm mismatch
- C. authentication key mismatch
- D. interesting traffic was not applied

Correct Answer: C

---

#### QUESTION 6

How is ICMP used as an exfiltration technique?

- A. by flooding the destination host with unreachable packets
- B. by sending large numbers of ICMP packets with a targeted host's source IP address using an IP broadcast address
- C. by encrypting the payload in an ICMP packet to carry out command and control tasks on a compromised host
- D. by overwhelming a targeted host with ICMP echo-request packets

Correct Answer: C

---

#### QUESTION 7

Which capability is exclusive to a Cisco AMP public cloud instance as compared to a private cloud instance?

- A. RBAC
- B. ETHOS detection engine
- C. SPERO detection engine
- D. TETRA detection engine

Correct Answer: B

---

#### QUESTION 8

Which Cisco solution does Cisco Umbrella integrate with to determine if a URL is malicious?

- A. AMP
- B. AnyConnect
- C. DynDNS

D. Talos

Correct Answer: D

When Umbrella receives a DNS request, it uses intelligence to determine if the request is safe, malicious or risky -- meaning the domain contains both malicious and legitimate content. Safe and malicious requests are routed as usual or blocked, respectively. Risky requests are routed to our cloud-based proxy for deeper inspection. The Umbrella proxy uses Cisco Talos web reputation and other third- party feeds to determine if a URL is malicious.

### QUESTION 9

Refer to the exhibit.

```
Gateway of last resort is 1.1.1.1 to network 0.0.0.0

S*  0.0.0.0 0.0.0.0 [1/0] via 1.1.1.1, outside
C   1.1.1.0 255.255.255.0 is directly connect, outside
S   172.16.0.0 255.255.0.0 [1/0] via 192.168.100.1, inside
C   192.168.100.0 255.255.255.0 is directly connected, inside
C   172.16.10.0 255.255.255.0 is directly connected, dmz
S   10.10.10.0 255.255.255.0 [1/0] via 172.16.10.1, dmz

-----

access-list redirect-acl permit ip 192.168.100.0 255.255.255.0 any
access-list redirect-acl permit ip 172.16.0.0 255.255.0.0 any

class-map redirect-class
 match access-list redirect-acl

policy-map inside-policy
 class redirect-class
  sfr fail-open

service-policy inside-policy global
```

What is a result of the configuration?

- A. Traffic from the DMZ network is redirected
- B. Traffic from the inside network is redirected
- C. All TCP traffic is redirected
- D. Traffic from the inside and DMZ networks is redirected

Correct Answer: D

Reference: <https://www.cisco.com/c/en/us/support/docs/security/asa-firepower-services/118644-configurefirepower-00.html>

### QUESTION 10

A network engineer is configuring DMVPN and entered the crypto isakmp key cisc0380739941 address 0.0.0.0 command on hostA. The tunnel is not being established to hostB. What action is needed to authenticate the VPN?

- A. Change isakmp to ikev2 in the command on hostA.
- B. Enter the command with a different password on hostB.
- C. Enter the same command on hostB.
- D. Change the password on hostA to the default password.

Correct Answer: C

---

#### QUESTION 11

Which two solutions help combat social engineering and phishing at the endpoint level? (Choose two.)

- A. Cisco Umbrella
- B. Cisco ISE
- C. Cisco DNA Center
- D. Cisco TrustSec
- E. Cisco Duo Security

Correct Answer: AE

---

#### QUESTION 12

An organization has noticed an increase in malicious content downloads and wants to use Cisco Umbrella to prevent this activity for suspicious domains while allowing normal web traffic. Which action will accomplish this task?

- A. Set content settings to High
- B. Configure the intelligent proxy.
- C. Use destination block lists.
- D. Configure application block lists.

Correct Answer: B

Reference: <https://docs.umbrella.com/deployment-umbrella/docs/what-is-the-intelligent-proxy>

---

#### QUESTION 13

Which two capabilities of Integration APIs are utilized with Cisco DNA Center? (Choose two.)

- A. Upgrade software on switches and routers

- B. Third party reporting
- C. Connect to ITSM platforms
- D. Create new SSIDs on a wireless LAN controller
- E. Automatically deploy new virtual routers

Correct Answer: BC

IT Service Management (ITSM) minimizes handoffs, reduces duplication of issues, and optimizes processes by integrating the Cisco DNA Center platform into incident-management, change-management and problem-management systems. It also integrates the Cisco DNA Center platform into approval- and pre-approval chains, and it links the Cisco DNA Center platform with formal change- and maintenance-window schedules.

The platform also integrates with Reporting and Analytics capabilities for capacity planning, asset management, compliance control, and auditing. The Cisco DNA Center platform boosts IT efficiency and automation by integrating seamlessly with other IT systems through RESTful APIs.

---

#### QUESTION 14

What is an advantage of network telemetry over SNMP pulls?

- A. accuracy
- B. encapsulation
- C. security
- D. scalability

Correct Answer: A

---

#### QUESTION 15

For a given policy in Cisco Umbrella, how should a customer block website based on a custom list?

- A. by specifying blocked domains in the policy settings
- B. by specifying the websites in a custom blocked category
- C. by adding the websites to a blocked type destination list
- D. by adding the website IP addresses to the Cisco Umbrella blocklist

Correct Answer: C

[Latest 350-701 Dumps](#)

[350-701 PDF Dumps](#)

[350-701 Braindumps](#)