

6103^{Q&As}

Avaya ERS 8000 and Avaya VSP 9000 Implementation Exam

Pass Avaya 6103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/6103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

On the VSP 9000 and ERS 8000, the Switch Fabric (SF) modules are installed to intelligently switch or route traffic coming into the chassis.

What determines the SF module function on the VSP 9000?

- A. campus size
- B. module type
- C. software version
- D. slot location

Correct Answer: D

QUESTION 2

Which two management ports are available on the VSP 9000 CP module? (Choose two.)

- A. Serial interface
- B. USB (host) interface
- C. Ethernet interface
- D. Modem interface

Correct Answer: AC

QUESTION 3

During a power-on or cold-start sequence, at which stage can the flags to change the operational environment of the switch be set?

- A. the boot monitor prompt
- B. the image search
- C. the system test
- D. the boot configuration prompt

Correct Answer: A

QUESTION 4

Given the following syntax:

config ethernet ip create [mac_offset]

Which action is depicted in the command above?

- A. Assign an IP address and a VLAN Id to the module.
- B. Assign the DNS attributes and a server to the switch.
- C. Assign an IP address and a VLAN Id to a port.
- D. Assign the DHCP attributes to a given VLAN.

Correct Answer: C

QUESTION 5

Which CLI command is used to allow the non-secure (HTTP) web interface?

- A. web-server enable
- B. web secure disable
- C. no web secure-only
- D. config web secure enable

Correct Answer: A

QUESTION 6

After configuring your VSP 9000 for web access, engineers on the team says that they cannot log into EDM using their credentials.

What are the default credentials for EDM?

- A. username: admin password: password
- B. username: rwa password: rwa
- C. username: admin password:
- D. username: avaya password: avaya

Correct Answer: A

QUESTION 7

A customer is concerned about the security of their network. They need to understand the OSPF authentication options when accepting route updates in OSPF. Currently, their Virtual Services Platform (VSP) 9000 is configured to require no authentication when receiving the OSPF updates.

Which two supported authentication types would provide security on the VSP 9000 for OSPF updates? (Choose two.)

- A. MD5
- B. 3DES
- C. RADIUS
- D. Simple Password

Correct Answer: AD

QUESTION 8

On an ERS 8000, which command is used to see the state of an installed interface card?

- A. show state
- B. show installed
- C. show slot state all
- D. show slot

Correct Answer: D

QUESTION 9

SMLTv2 is introduced with the Virtual Services Platform (VSP) 9000, and is easier to configure than SMLTv1.

What is a requirement for SMLTv2?

- A. MLT IDs must be globally unique on a VSP 9000 cluster.
- B. SMLT IDs must be globally unique on a VSP 9000 cluster.
- C. SLT IDs must be globally unique on a VSP 9000 cluster.
- D. RSMLT IDs must be globally unique on a VSP 9000 cluster.

Correct Answer: A

QUESTION 10

A technician has implemented RSMLT edge design. After recovering from a power outage, some clients could not communicate. It has been determined that only one of the core RSMLT switches has recovered.

What should have been done to prevent the loss of communications?

- A. Turn off the HoldDown timer.

- B. RSMLT-Edge needs to be enabled globally.
- C. Clear the peer IP and MAC addresses.
- D. Set the VLAN to copy RSMLT info from a similarly configured VLAN.

Correct Answer: C

QUESTION 11

How do the Switch Fabric (SF) modules provide bandwidth management across the I/O modules?

- A. The bandwidth management is handled by the CP modules.
- B. SF modules in slots SF1 and SF4 provide bandwidth management across the I/O modules.
- C. Bandwidth management is shared across all installed SF modules.
- D. The SF module in slot SF1 provides bandwidth management for the I/O modules in slots 1-5, while the SF module in slot SF4 provides bandwidth management for slots 6-10.
- E. The SF module in slot SF1 provides bandwidth management for even numbered slots (2,4,6,8,10), while the SF module in slot SF4 provides bandwidth management for odd numbered I/O slots (1,3,5,7,9).

Correct Answer: B

QUESTION 12

Which statement about the local router MAC addresses on RSMLT aggregation switches (cluster) is true?

- A. On a RSMLT aggregation switch pair, local router MAC addresses are exchanged, and only used in case of switch failure.
- B. On a RSMLT aggregation switch pair, local router MAC addresses are exchanged, and always used for data forwarding.
- C. On a RSMLT aggregation switch pair, the virtual MAC address is exchanged, and used for data forwarding.
- D. RSMLT aggregation switches are not exchanging local router MAC addresses, but are using the IP destination address to forward traffic.

Correct Answer: B

QUESTION 13

Source MAC address-based VLANs are an example of which group of VLAN types?

- A. Policy based
- B. MAC based

C. Address based

D. Weighted

Correct Answer: B

QUESTION 14

Policy-based traffic policers and traffic shapers identify traffic using a policy (a contract). Traffic that conforms to this policy (a service contract) is guaranteed transmission, and nonconforming traffic is considered in violation.

Which two statements about how Policy-based policers and shapers treat violations are true? (Choose two.)

A. Both traffic policers and traffic shapers support the marking and re-marking of DSCP and 802.1p, using filter actions.

B. Traffic shapers buffer and shape traffic, whereas traffic policers discard or re-mark excess traffic.

C. Policing occur on ingress.

D. Traffic shaper allows the traffic to exceed the line rate, whereas traffic policers prevent traffic from exceeding the line rate.

E. Policy based-shaping drop packets exceeding the peak rate.

Correct Answer: BE

QUESTION 15

Which command mode contains the commands needed to work on software licenses?

A. User Exec

B. Global Configuration

C. Software Configuration

D. Privileged Exec

Correct Answer: B

[6103 Practice Test](#)

[6103 Exam Questions](#)

[6103 Brindumps](#)