

C2090-614^{Q&As}

DB2 10.1 Advanced DBA for Linux UNIX and Windows

Pass IBM C2090-614 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2090-614.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

If the AUDIT_BUF_SZ configuration parameter is set to zero (0), what will happen?

- A. The audit facility writes records to disk at the same time the statements generating the audit records are executing.
- B. Statements generating audit records must wait for the records to be written to disk before they can complete execution.
- C. The writing of audit records to disk will be delayed until a minimum number of records (based on record size and memory available in the database heap) have been generated.
- D. There is no limit to how many audit records can be stored in an internal memory buffer for one single statement generating audit records.

Correct Answer: B

QUESTION 2

In what situation should you use a redirected restore operation?

- A. You want to drop a storage group during a restore process.
- B. You want to move data from one operating system to another.
- C. You want to restore your table spaces into new storage groups.
- D. You want to restore your table space containers into a different physical location.

Correct Answer: D

QUESTION 3

What is the preferred method for reclaiming unused storage in a DMS table space?

- A. Perform an ALTER TABLESPACE...REDUCE operation.
- B. Perform a REORG on each table within the table space, then perform an ALTER TABLESPACE...REDUCE operation.
- C. Perform an ALTER TABLESPACE...LOWER HIGH WATER MARK operation, and then an ALTER TABLESPACE...REDUCE operation.
- D. Perform a REORG on each table within the table space, then perform an ALTER TABLESPACE...LOWER HIGH WATER MARK operation.

Correct Answer: C

QUESTION 4

Consider the following statement:

```
SELECT lastname, job, workdept FROM employee e, department d
WHERE e.workdept = d.deptno
AND d.deptname = 'SOFTWARE SUPPORT'
ORDER BY lastname
```

Which indexes should be created for optimal query performance?

- A. CREATE INDEX emp_idx ON employee (workdept); CREATE INDEX dept_idx ON department (deptno);
- B. CREATE INDEX emp_idx ON employee (workdept) CLUSTER; CREATE INDEX dept_idx ON department (deptname, deptno);
- C. CREATE INDEX emp_idx ON employee (workdept, lastname, job); CREATE INDEX dept_idx ON department (deptname, deptno);
- D. CREATE INDEX emp_idx ON employee (lastname, job, workdept) CLUSTER; CREATE INDEX dept_idx ON department (deptname);

Correct Answer: C

QUESTION 5

The following message is frequently seen in the DB2 Diagnostics Log file (db2diag.log):

MESSAGE:

ADM5502W

The escalation of "28581" locks on table "TEST.TABLE1" to lock intent "X" was successful. Which two database configuration parameter settings should be checked? (Choose two.)

- A. LOCKLIST
- B. MAXAPPLS
- C. MAXLOCKS
- D. MAXAGENTS
- E. LOCKTIMEOUT

Correct Answer: AC

QUESTION 6

What is the default user workload class that is created for each database table?

- A. DEFAULT_USER
- B. SYSUSERDEFAULTWLM
- C. SYSDEFAULTUSERWORKLOAD
- D. SYS_DEFAULT_USER_WORKLOAD

Correct Answer: C

QUESTION 7

What is the default user workload class that is created for each database table?

- A. DEFAULT_USER
- B. SYSUSERDEFAULTWLM
- C. SYSDEFAULTUSERWORKLOAD
- D. SYS_DEFAULT_USER_WORKLOAD

Correct Answer: C

QUESTION 8

A table named MYTAB was created as follows:

```
CREATE TABLE mytab (c1 INT, c2 INT)
PARTITION BY RANGE (c1)
(STARTING FROM (1) ENDING AT (100),
 STARTING FROM (201) ENDING AT (300));
```

If the following statements are executed:

```
INSERT INTO mytab VALUES (1,1),(2,1),(3,1),(101,1);
INSERT INTO mytab VALUES (4,1),(5,1),(6,1),(201,1);
INSERT INTO mytab VALUES (7,1),(8,1),(9,1),(300,1);
```

How many rows will be inserted into the MYTAB table?

- A. 4
- B. 8
- C. 11

D. 12

Correct Answer: B

QUESTION 9

What are two services that the cluster caching facility (CF) provides in a DB2 pureScale environment? (Choose two.)

- A. Global Lock Management (GLM)
- B. Group Transaction Routing (GTR)
- C. Automated Member Restart (AMR)
- D. Buffer Pool Synchronization (BPS)
- E. Shared Communications Area (SGA)

Correct Answer: AE

QUESTION 10

Which statement about Insert-Time-Clustered (ITC) is correct?

- A. Views cannot be created on ITC tables.
- B. ITC tables do not support row compression.
- C. Block indexes cannot be created for ITC tables.
- D. ITC tables can release their empty pages to the operating system.

Correct Answer: C

QUESTION 11

Which statement about block indexes is correct?

- A. Because of their large size, block indexes are extremely efficient.
- B. Block indexes improve performance when data is not clustered on sequential pages.
- C. Prefetching of data pages relies on sequential detection when block indexes are used.
- D. The records for each block are retrieved using a mini-relational scan of saved data pages.

Correct Answer: C

QUESTION 12

Which Workload Manager (WLM) objects can the COLLECT ACTIVITY DATA clause be used with?

- A. Data class, work class, and a limit
- B. Data class, action class, and a threshold
- C. Service subclass, action class, and a limit
- D. Service subclass, work class, and a threshold

Correct Answer: D

QUESTION 13

Which procedure is used to Explain an SQL statement using information obtained from the package cache or the package cache event monitor?

- A. EXPLAIN_FROM_DATA
- B. EXPLAIN_FROM_ACTIVITY
- C. EXPLAIN_FROM_SECTION
- D. EXPLAIN_FROM_CATALOG

Correct Answer: C

QUESTION 14

What must be done to convert an existing table into an Insert-Time-Clustered (ITC) table?

- A. Call the ADMIN_MOVE_TABLE procedure.
- B. Call the ADMIN_REVALIDATE_DB_OBJECTS procedure.
- C. Issue a REORG TABLE statement with the ORGANIZE BY INSERT TIME option.
- D. Issue an ALTER TABLE statement with the ORGANIZE BY INSERT TIME option.

Correct Answer: A

QUESTION 15

The following statement was used to create a table space named USER_TMP in a non-partitioned database:

```
CREATE USER TEMPORARY TABLESPACE user_tmp MANAGED BY SYSTEM USING (mnt/fssystem4 mnt/fssystem5
```

Which operation can be performed on the USER_TMP table space with an ALTER TABLESPACE statement?

- A. New storage containers can be added to it.
- B. A different buffer pool can be associated with it.
- C. A hard limit can be placed on the size to which its storage containers can grow.
- D. Its high water mark can be lowered and its size can be reduced to the high water mark.

Correct Answer: B

[Latest C2090-614 Dumps](#)

[C2090-614 Study Guide](#)

[C2090-614 Exam Questions](#)