

# C\_TPLM40\_65<sup>Q&As</sup>

SAP Certified Application Associate - Quality Management with SAP  
ERP 6.0 EHP5

**Pass SAP C\_TPLM40\_65 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass2lead.com/c\\_tplm40\\_65.html](https://www.pass2lead.com/c_tplm40_65.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official  
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

The Quality notifications origin Q2 belongs to \_\_\_\_\_

- A. Customer complaint
- B. Complaint against a vendor
- C. Internal problem notification
- D. none

Correct Answer: B

---

**QUESTION 2**

Flexible inspection specifications are to be used where inspections can be fully planned in advance.

- A. Correct
- B. Incorrect

Correct Answer: B

---

**QUESTION 3**

An inspection can be triggered at different stages in the logistics supply chain which includes (more than one answer is true):

- A. Goods movements (goods receipt, stock transfer, goods issue)
- B. Deadline monitoring (batch monitoring)
- C. Source inspections
- D. Orders (production orders, maintenance orders, delivery)

Correct Answer: ABD

---

**QUESTION 4**

Sampling procedures are procedures that determine the sample size for an inspection.

- A. Incorrect
- B. Correct

Correct Answer: B

---

**QUESTION 5**

The following inspection lots cannot be selected: Inspection lots with inspection point processing, SD inspection lots with partial lots, and inspection lots that require a digital signature.

- A. Correct
- B. Incorrect

Correct Answer: A

---

**QUESTION 6**

A notification item consists which of the following elements? (More than one answer is true.)

- A. Short text/long text
- B. Classification
- C. Nonconforming quantities
- D. Defect valuation

Correct Answer: BD

---

**QUESTION 7**

Which statements are correct? (More than one answer is true.)

- A. Single authorization is required for the inspection lot, if the task list requires approval but has not yet been approved.
- B. The use of the material specification is dependent in the inspection setup in the Quality Management view of the material master.
- C. If additional material-dependent inspection specifications have to be stored for a particular material, a material specification can't be used.
- D. Object management records disable changes to a certain object to be documented.

Correct Answer: BD

---

**QUESTION 8**

Which QM processes occur spontaneously?

- A. Standard processes
- B. Event-controlled processes

Correct Answer: B

---

**QUESTION 9**

You can cancel the stability study at any time for one particular storage condition or for all storage conditions.

- A. Correct
- B. Incorrect

Correct Answer: A

---

**QUESTION 10**

Object management records enable changes to a certain object to be documented.

- A. Correct
- B. Incorrect

Correct Answer: A

---

**QUESTION 11**

Business Content has the following preconfigured objects (more than one answer is true):

- A. Characteristics
- B. InfoCubes
- C. Key figures
- D. Variables

Correct Answer: ABC

---

**QUESTION 12**

QM is integrated in the processes of the logistics supply chain.

- A. Correct
- B. Incorrect

Correct Answer: A

---

**QUESTION 13**

Specifications are copied from the inspection lot to the inspection plan.

- A. Incorrect
- B. Correct

Correct Answer: A

---

**QUESTION 14**

PI Sheet is available for \_\_\_\_\_.

- A. Discrete Manufacturing
- B. For all
- C. Process Manufacturing
- D. Repetitive manufacturing

Correct Answer: C

---

**QUESTION 15**

Inspection results are updated depending on the settings of the following parameters (more than one answer is true):

- A. Material, customer
- B. Material, Quantity
- C. Material, vendor
- D. Material
- E. Material, Value

Correct Answer: ACD

[Latest C\\_TPLM40\\_65 Dumps](#)

[C\\_TPLM40\\_65 PDF Dumps](#) [C\\_TPLM40\\_65 Braindumps](#)