

E20-375^{Q&As}

RecoverPoint Specialist Exam for Implementation Engineers

Pass EMC E20-375 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-375.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A customer has added VPLEX to an existing RecoverPoint system. When configuring journals for a new Consistency Group they note that VPLEX Distributed Volumes are available.

Why are Distributed Volumes available?

- A. Certificates were not created when installing the VPLEX splitter.
- B. This is not a problem; you can tell the customer to use them.
- C. The VPLEX is not running GeoSynchrony code 5.1.
- D. The VPLEX Distributed Volume should not be in the RPA Storage View.

Correct Answer: A

QUESTION 2

An existing RecoverPoint/CL environment consists of one cluster at the main office and two off- site DR clusters. You have been asked to expand the environment to the maximum number of DR sites using RecoverPoint.

How many additional clusters could be added to this RecoverPoint Environment?

- A. 2
- B. 4
- C. 5
- D. 8

Correct Answer: A

QUESTION 3

In order to create a new Consistency Group, a user should navigate to which option within the Protection tab of Unisphere for RecoverPoint?

- A. Protect Volumes
- B. Manage Protection
- C. Deployment Manager
- D. Group Sets

Correct Answer: A

QUESTION 4

You are adding an RPA to a cluster using Deployment Manager. What requirement must be satisfied before proceeding?

- A. Zoning and LUN masking must be known to be identical to the existing RPAs in the cluster.
- B. RPA iSCSI configuration settings must be known. All other zoning and LUN masking settings will automatically be read from the existing RPA site leader.
- C. RPA and array iSCSI configuration settings must be known. All other zoning and LUN masking settings will automatically be read from the existing RPA site leader.
- D. RPA and Storage iSCSI configuration settings will automatically be read from the cluster.

Correct Answer: A

QUESTION 5

Which EMC storage does RecoverPoint leverage for Snap-based Replication?

- A. VNX only
- B. VMAX only
- C. VPLEX
- D. VNX and VMAX

Correct Answer: A

QUESTION 6

When RecoverPoint is deployed with a VMAX splitter, what presents the virtual target and virtual remote devices?

- A. RPAs
- B. VMAX
- C. Switch
- D. Gatekeepers

Correct Answer: A

QUESTION 7

A company has just installed a RecoverPoint solution and configured it with two clusters. Which command will monitor system performance for both sites?

- A. export_statistics

- B. netstat -a
- C. balance_load
- D. config_io_throttling

Correct Answer: A

QUESTION 8

A storage administrator has been tasked to demonstrate the image access capability of RecoverPoint. Which RecoverPoint option should they use?

- A. Test a Copy
- B. Fail Over
- C. Fail Back
- D. Recover Production

Correct Answer: A

QUESTION 9

What user action causes a full sweep to occur?

- A. Enable a disabled Consistency Group
- B. Enable a disabled volume
- C. Enable a disabled splitter
- D. Attach a volume to a splitter

Correct Answer: A

QUESTION 10

A Consistency Group consists of one production copy, one local copy, and two remote copies. How many journals are required for this configuration?

- A. Four in total
- B. Two in total
- C. One for each remote copy and one for the local copy
- D. One for the production and one for each remote copy

Correct Answer: A

QUESTION 11

Refer to the exhibit.

```
=====
Validate the VPLEX to RPA zoning
=====

Validating that VPLEX sees all expected initiator ports from RPAs                                WARNING

VPLEX does not see RPA initiator port: 0x50012481e510aa17
VPLEX does not see RPA initiator port: 0x50012483e510aa17
VPLEX does not see RPA initiator port: 0x50012481e41d6b93
VPLEX does not see RPA initiator port: 0x50012483e41d6b93
```

A RecoverPoint cluster with two RPAs and VPLEX splitter has been deployed. When you run the `rp validate-configuration VPLEX` CLI command, the error shown in the exhibit is displayed.

What is the most likely cause of this error?

- A. Only two initiators per RPA have been used.
- B. The RPAs are not zoned to the VPLEX BE ports.
- C. One of the two RPAs is missing.
- D. The RPAs are not zoned to the VPLEX FE ports.

Correct Answer: A

QUESTION 12

What collection period is automatically set when `Collect System Information` is run from the `System Events` pane?

- A. From 10 min. before to 10 min. after the selected event
- B. From 30 min. before to 30 min. after the selected event
- C. From 60 min. before to 60 min. after the selected event
- D. The previous 24 hours

Correct Answer: A

QUESTION 13

Which GUI do you use when choosing a point-in-time image for VMware SRM to use during a failover or failover test?

- A. VSphere Client
- B. Unisphere for RecoverPoint
- C. VSphere Web Client
- D. Replication Manager

Correct Answer: A

QUESTION 14

For a RecoverPoint system with multiple clusters, how many gatekeepers are needed for each VMAX splitter/RecoverPoint-cluster combination?

- A. 2
- B. 8
- C. 4
- D. 16

Correct Answer: D

QUESTION 15

You ran Collect System Information from an RPA. However, you forgot where you specified to save the logs on the FTP server.

What is the recommended way to retrieve the logs?

- A. Use `http:// /info`
- B. Re-run Collect System Information from the RPAs
- C. Re-run Collect System Information from the GUI
- D. Use `ftp://`

Correct Answer: A

[E20-375 PDF Dumps](#)

[E20-375 VCE Dumps](#)

[E20-375 Exam Questions](#)