

E20-616^{Q&As}

Symmetrix Installation and Troubleshooting Specialist

Pass EMC E20-616 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-616.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You are using the SymmWin simulator to test an upgrade. What is required for a successful test?

- A. SymmWin with the same system Enginuity level and two IMPL.Bins
- B. The Service Processor and two upgrade impl.Bins of the same system
- C. The Service Processor and the original IMPL.Bins of the same system
- D. SymmWin with the same Enginuity level and the upgrade impl.Bins

Correct Answer: A

QUESTION 2

What is the maximum amount of cache that can be configured in a Symmetrix VMAX 20K?

- A. 128 GB / engine 1 TB / array
- B. 128 GB / engine 512 / array
- C. 256 GB / engine 1 TB / array
- D. 256 GB / engine 2 TB / array

Correct Answer: D

QUESTION 3

A customer plans to upgrade an existing four-Engine Symmetrix VMAX 40K to a five-Engine VMAX 40K. How many new vault devices will be added as a result of this upgrade?

- A. 32
- B. 40
- C. 64
- D. 80

Correct Answer: A

QUESTION 4

What is the maximum DAE count for Engine 1 of a VMAX 10K (987) dense configuration?

- B. 16

C. 18

D. 10

Correct Answer: A

QUESTION 5

Which disk types can be used in a Symmetrix VMAX?

A. SATA II, Fibre Channel, SAS and Enterprise Flash Drive (EFD)

B. SAS, SCSI, Fibre Channel, and Enterprise Flash Drive (EFD)

C. SCSI, SATA II, Fibre Channel, and Enterprise Flash Drive (EFD)

D. SAS, Fibre Channel, SCSI and SATA II (SSD)

Correct Answer: C

QUESTION 6

How many Management Modules are installed in a 6 bay VMAX 10K (987)?

A. 8

B. 12

C. 6

D. 4

Correct Answer: A

QUESTION 7

When upgrading an existing I/O module to a DARE I/O module, what impact will it have on the VMAX 40K system?

A. No impact

B. Complete data loss

C. Degraded performance

D. Failover during upgrade

Correct Answer: B

QUESTION 8

Which statement best describes a Mainframe LPAR?

- A. Virtual divisions of a physical Mainframe
- B. A group of 256 logical devices
- C. A physical division Mainframe system
- D. A Channel Sub-System

Correct Answer: A

QUESTION 9

Refer to the exhibit.

Management Module connections



You have a Management Module installed in the lowest Symmetrix VMAX 40K Engine number in system bay 2. In which position is the service processor cable installed?

- A. 4
- B. 5

C. 6

D. 7

Correct Answer: B

QUESTION 10

What is a SymmWin Best Practice when configuring disk drives?

A. Smaller drives perform better.

B. Go deep then wide when adding drives.

C. Protection type is irrelevant.

D. Use Raid 5 instead of Raid 6 when data availability is secondary.

Correct Answer: D

QUESTION 11

A SIB replacement is required on VMAX. The customer asks what the impact will be on the front-end ports. What should your response be?

A. VMAX 40K all front-end ports will remain online. VMAX 20K, VMAX 10K front-end ports will go offline

B. VMAX 40K, VMAX 20K all front-end ports will remain online. VMAX 10K front-end ports will go offline

C. VMAX 40K, VMAX 20K and VMAX 10K all front-end ports will remain online

D. VMAX 40K, VMAX 20K and VMAX 10K front-end ports will go offline

Correct Answer: A

QUESTION 12

You are replacing VMAX Standby Power Supplies (SPS). Which tool should be used for this activity?

A. Alum-a-lift

B. Service ladder

C. ESRS

D. ELM

Correct Answer: A

QUESTION 13


In a RDF Compare Report, which condition represents the lowercase letter "s" for mismatched configurations?

- A. Small R1 to Big R2
- B. Size
- C. Serial Number
- D. Snow

Correct Answer: A

QUESTION 14

Refer to the Exhibit.



What is the VMAX 10K component illustrated as 'A'?

- A. Filler
- B. SIB

C. BE I/O

D. FE I/O

Correct Answer: A

QUESTION 15

Which procedure wizard option would you use to validate the configuration before it is loaded into the Symmetrix system?

A. Simulation Utility

B. Procedure Utility

C. Configuration Utility

D. Comparison Utility

Correct Answer: A

[E20-616 VCE Dumps](#)

[E20-616 Practice Test](#)

[E20-616 Braindumps](#)