

EW0-300^{Q&As}

Extreme Networks Specialist....

Pass Extreme Networks EW0-300 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ew0-300.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Extreme Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The Skew time in VRRP is used to ensure that two back-up routers do not switch to master state at the same time in a case of a fall-over situation.

- A. True
- B. False

Correct Answer: A

QUESTION 2

Dealing with an Access Control List on Extreme switches it's required to include a precedence number when configuring the default rule.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 3

IS-IS is an exterior gateway protocol?

- A. True
- B. False

Correct Answer: B

QUESTION 4

VRRP is

- A. An Extreme Networks proprietary protocol.
- B. A protocol standardized by the ITU.
- C. A protocol standardized by the IEEE.
- D. A protocol standardized by the IETF.

Correct Answer: D

QUESTION 5

DVMRP uses the same IP packet header as IGMP to exchange routing datagram.

- A. True
- B. False

Correct Answer: A

QUESTION 6

An Alpine 3808 switch can operate without the SMMi management module?

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 7

IP Version 6 has amongst other differences with IP Version 4 also different address length. What is the size of an IPv6 address?

- A. 16 bits
- B. 32 bits
- C. 64 bits
- D. 128 bits

Correct Answer: D

QUESTION 8

OSPF requires that all areas attach directly to the backbone area, and that all attachments are made with a direct physical connection.

- A. True
- B. False

Correct Answer: B

QUESTION 9

The Summit 7i switch supports how many queues per interface?

- A. 1

- B. 4
- C. 8
- D. 16

Correct Answer: C

QUESTION 10

Select the incorrect statement for PIM.

- A. PIM has two modes of operation. (Dense and Sparse mode)
- B. PIM relies on a Unicast routing protocol to perform Reverse Path Check
- C. The disadvantage of PIM Dense mode is that it uses more bandwidth than DVMRP
- D. All of the above

Correct Answer: C

QUESTION 11

Which of the following is the default ESRP priority setting for an Extreme switch?

- A. 0
- B. 1
- C. 254
- D. 255

Correct Answer: A

QUESTION 12

Select the statements that are true for IP multicast?

- A. Multicast routers look at the source address to forward multicast traffic/
- B. The destination address is always a multicast group address
- C. A multicast server does not know each client host address
- D. All of the above

Correct Answer: D

QUESTION 13

In SLB the forwarding mode is the method a switch uses to forward traffic to the virtual servers. On the Summit 7i switch four forwarding modes are supported, select the two forwarding modes that are hardware based.

- A. Transparent mode
- B. Translation mode
- C. Port Translation mode
- D. GoGo mode

Correct Answer: ABCD

QUESTION 14

DVMRP is similar to OSPF in that it is Link State based.

- A. True
- B. False

Correct Answer: B

QUESTION 15

Select the correct statements related to IP Multicast?

- A. IP multicast uses unreliable data transfer protocol as UDP
- B. The network must be IP multicast enabled
- C. IP Multicast routers must maintain state information of active multicast groups
- D. All of the above

Correct Answer: D

[Latest EW0-300 Dumps](#)

[EW0-300 PDF Dumps](#)

[EW0-300 Exam Questions](#)