

C2040-415^{Q&As}

Developing OpenSocial Applications

Pass IBM C2040-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2040-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Proxy access is configured per gadget. An administrator can restrict access beyond the settings for server access or for all server access.

What file is used for this configuration?

- A. proxy-policy.config
- B. proxy-policy.dynamic
- C. proxy-configuration.policy
- D. proxy-policy.dynamic.config

Correct Answer: B

QUESTION 2

Which service can be used to access IBM Domino data via an OpenSocial gadget?

- A. Domino XML
- B. Domino HTTP
- C. Domino REST
- D. Domino HTML

Correct Answer: C

QUESTION 3

Where in the OpenSocial Core gadget namespace are remote content retrieval functions located?

- A. gadgets.io
- B. gadgets.data
- C. osapi.getData
- D. gadgets.remoteContent

Correct Answer: A

QUESTION 4

What are the two types of Content supported in the gadget specification?

- A. URL
- B. Local
- C. HTML
- D. JavaScript
- E. Remote application

Correct Answer: AC

QUESTION 5

Which are valid REST API calls?

- A. GET, POST, PUT ,DELETE
- B. POST, PUT ,FETCH, DELETE
- C. GET, UPDATE,PUT, DELETE
- D. SELECT, POST, GET, DELETE

Correct Answer: A

QUESTION 6

What is true regarding a gadget with Type="URL"?

- A. Only Type="HTML" can be used for an OpenSocial Gadget.
- B. A standard set of parameters are not added to the URL by the gadget server.
- C. Type URL gadgets cannot take advantage of all features, notably features that manipulate HTML and JavaScript code directly.
- D. When loading JavaScript library requests, a server must provide an OAuth service for retrieving core and feature-linked JavaScript.

Correct Answer: C

QUESTION 7

Maggie is fine-tuning her OpenSocial gadget to render on screen.

What type of interface is she building that involves the getCallback() method?

- A. timer MiniMessage
- B. Flash movie playback

- C. tabbed gadget interface
- D. status update to contact list

Correct Answer: B

QUESTION 8

IBM Connections supports automatic authorization of trusted clients. What must be performed to register an arbitrary client?

- A. Register the client using basic authentication through an OpenSocial stream.
- B. Obtain the client secret and update the opensocial-config.xml with the provided code.
- C. Edit the opensocial-config.xml and add the new authorized client within the trusted clients.
- D. Register the client using the wsadmin tool and execute OAuthApplicationRegistrationService.addApplication command with all required parameters.

Correct Answer: A

QUESTION 9

Which option describes the role of the Service Provider when developing OpenSocial applications?

- A. an Apache Shindig container
- B. a web server that stores OpenSocial
- C. a web application that allows access via OAuth
- D. a web server that hosts OpenSocial applications

Correct Answer: B

QUESTION 10

OAuth does not require a specific interaction pattern which makes it ideal for which reason?

- A. For cases where OpenID is required and available to the consumer.
- B. For cases where OpenID is not required but is available to the consumer.
- C. For cases where authentication credentials are unavailable to the consumer.
- D. For cases where authentication credentials are always available to the consumer.

Correct Answer: A

[C2040-415 PDF Dumps](#)

[C2040-415 VCE Dumps](#)

[C2040-415 Practice Test](#)