

# C7010-010<sup>Q&As</sup>

IBM Cúram V6.0.4 Application Development

**Pass IBM C7010-010 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c7010-010.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

An application's Server Components folder contains the following components: Appeals, core, custom, ISScreening, and ServicePlanning. The SERVER\_COMPONENT\_ORDER variable is set as follows:  
SERVER\_COMPONENT\_ORDER=custom, ServicePlanning.

Which of the following statements BEST reflects the order of priority (decreasing priority left to right) in which the generators will process the components?

- A. custom, ServicePlanning, core
- B. custom, ServicePlanning
- C. custom, ServicePlanning, Appeals, core, ISScreening
- D. custom, ServicePlanning, Appeals, ISScreening, core
- E. Appeals, custom, ISScreening, ServicePlanning, core

Correct Answer: D

---

### QUESTION 2

Which of the following are valid ways to enforce that a value be mandatory for a given attribute?

- A. Write custom logic at method level in the Java class
- B. Configure the Require\_Mandatory property of the entity's attribute to be set to true
- C. Specify the name of the field in the Mandatory\_Fields property of the modeled operation's argument struct
- D. Write a custom Java function to check for a value being present and specify the function on the Custom\_Validation\_Function\_Name property of the relevant Domain Definition

Correct Answer: AC

---

### QUESTION 3

Examine the piece of code shown:

```
<SERVER_INTERFACE OPERATION="insertItem" CLASS="MaintainItem"
  NAME="insert_SI" PHASE="ACTION" />
<SERVER_INTERFACE OPERATION="getItems" CLASS="MaintainItem"
  NAME="getItems_SI" PHASE="DISPLAY" />

<CLUSTER TITLE="Cluster.Title">
  ...
  <FIELD>
    <CONNECT>
      <INITIAL PROPERTY="first" NAME="getItems_SI"
        HIDDEN_PROPERTY="second" />
    </CONNECT>
    <CONNECT>
      <TARGET PROPERTY="third" NAME="insert_SI" />
    </CONNECT>
  </FIELD>
  ...
</CLUSTER>
```

Which two of the following statements about this piece of code are true? [Select 2]

- A. The INITIAL element must be defined within a CONNECT element inside a FIELD element
- B. The HIDDEN\_PROPERTY should have the same name as the TARGET PROPERTY
- C. A drop-down list containing the values for first and second is displayed
- D. A SOURCE element could also be added in the same field that contains the INITIAL element
- E. The PROPERTY third must be defined as a list

Correct Answer: AD

#### QUESTION 4

If CLIENT\_COMPONENT\_ORDER= NYC, appeals, custom, service plans, which of the following statements is true?

- A. All code in the core folder is ignored, as it is not on the client\_component\_order path
- B. If screen.UIM exists in appeals and service plans, the one from service plans will be generated
- C. If screen.UIM exists in NYC and appeals, the one from NYC will be generated
- D. This has no effect on generated screens

Correct Answer: C

**QUESTION 5**

Which of the following are fundamental data types in the Cúram model?

- A. SVR\_MONEY
- B. SVR\_LONG
- C. SVR\_DATE
- D. SVR\_CODE
- E. SVR\_BOOLEAN

Correct Answer: ACE

**QUESTION 6**

The Curam page shown here is configured to allow the developer to identify which action control was selected when the user clicks either button.



Which of the following pieces of UIM could be used to do this?

C A.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file:///Curam/ULMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="selection"/>

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="selection"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="selection"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="selection"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```

C B.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/ULMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
  NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="selection"/>

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="agree"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="disagree"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```

C C.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/ULMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
  NAME="CheckAgreementBean" PHASE="ACTION" />

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="agree"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="disagree"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```



C D.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
  NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="Yes"/>
  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
  NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="No"/>

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
      TYPE="SUBMIT" ACTION_ID="agree"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
      TYPE="SUBMIT" ACTION_ID="disagree"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```

- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Correct Answer: B

#### QUESTION 7

The variable `project.package` stores the root name of a Cúram application, for example, `project.package=serverworkshop`. The variable `project.package` stores the root name of a Cúram application, for example, `project.package=serverworkshop`. This variable is stored in which file?

- A. `curam-config.xml`
- B. `Application.prx`
- C. `Bootstrap.properties`

D. datamanager\_config.xml

E. Curam.properties

Correct Answer: B

---

**QUESTION 8**

What are three effects of running a build clean server command? [Select 3]

A. All database tables are dropped and rebuilt

B. All generated artifacts are deleted

C. All code table files are recompiled

D. All application navigation files are checked and loaded

E. All client pages that have changed since the last build are regenerated

F. All generated and handcrafted code is compiled

Correct Answer: BCF

---

**QUESTION 9**

For an entity named Sample, which of the following are shadow types that the generators may create?

A. SampleKeyDtIs

B. SampleKeyList

C. SampleKey

D. SampleListDtIs

Correct Answer: BC

---

**QUESTION 10**

Which two of the following are valid options for model-specified validations? [Select 2]

A. Maximum\_Value

B. Maximum\_Chars

C. Minimum\_Size

D. Starts\_With

E. Ends\_With



Correct Answer: AC

[Latest C7010-010 Dumps](#)

[C7010-010 PDF Dumps](#)

[C7010-010 Practice Test](#)