

# CIS-DISCOVERY<sup>Q&As</sup>

Certified Implementation Specialist-Discovery

## Pass ServiceNow CIS-DISCOVERY Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/cis-discovery.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by ServiceNow Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which method for deleting specific CIs is not discovered in 30 days?

- A. Scheduled Job
- B. UI Policy
- C. Service Mapping
- D. Data Policy

Correct Answer: D

---

**QUESTION 2**

Based on the following images, which choice best describes what occurs if Discovery sets the name attribute of a discovered Windows Server CI to '\\Windows1\\' and then Altiris discovery runs detecting '\\Windows2\\' for the name attribute on the same CI?

**Reconciliation Definitions** New Search for text Search

1 to 3 of 3

|                          |          | Data Source | Applies to                          | Attributes | Active |
|--------------------------|----------|-------------|-------------------------------------|------------|--------|
| <input type="checkbox"/> | <i>i</i> | Altiris     | Windows Server [cmdb_ci_win_server] | name       | true   |
| <input type="checkbox"/> | <i>i</i> | OpenView    | Windows Server [cmdb_ci_win_server] | name       | true   |
| <input type="checkbox"/> | <i>i</i> | ServiceNow  | Windows Server [cmdb_ci_win_server] | name       | true   |

**Data Source Precedentes** New Go to Order Search

1 to 3 of 3

|                          |          | Applies to           | Data Source | Order | Active |
|--------------------------|----------|----------------------|-------------|-------|--------|
| <input type="checkbox"/> | <i>i</i> | [cmdb_ci_win_server] | ServiceNow  | 100   | true   |
| <input type="checkbox"/> | <i>i</i> | [cmdb_ci_win_server] | OpenView    | 200   | true   |
| <input type="checkbox"/> | <i>i</i> | [cmdb_ci_win_server] | Altiris     | 300   | true   |

- A. The name of the CI stays \\Windows1\\.
- B. The name of the CI changes to \\Windows2\\.
- C. The name of the CI does not populate with either discovery.
- D. The CI is not discovered because Discovery is not listed in either image.

Correct Answer: A

**QUESTION 3**

If the WMI service is not running on a host, it will prevent the discovery of which devices?

- A. Network
- B. Windows
- C. Storage
- D. Unix

Correct Answer: B

Reference: [https://support.servicenow.com/kb?id=kb\\_article\\_view&sysparm\\_article=KB0656905](https://support.servicenow.com/kb?id=kb_article_view&sysparm_article=KB0656905)

---

#### QUESTION 4

A config file for an application has the following three lines:

1.

Line 1: app build 1.2.3.4 version 5.14

2.

Line 2: installation\_dir=c:\opt\bin

3.

Line 3: build\_type=Server.

Which methods below will extract the build and version numbers from these lines using a horizontal discovery pattern? (Choose two.)

- A. Get Process operation with correct Port
- B. Find Matching URL operation with Target Variable
- C. Parse File operation with Delimited Text parsing strategy
- D. Parse File operation with Regular Expression parsing strategy

Correct Answer: CD

---

#### QUESTION 5

What is found on the far-right section of the Pattern Designer for horizontal patterns? (Choose two.)

- A. CI Attributes
- B. Operations

C. Temporary Variables

D. CMDB Dashboard

Correct Answer: AC

---

**QUESTION 6**

In Discovery, what table associates an IP address and a credential?

A. Credential Affinity

B. Service Affinity

C. Service CI Association

D. Tags

Correct Answer: A

---

**QUESTION 7**

The following shows part of the Windows OS - Servers pattern in Pattern Designer:



Which of the steps above use(s) a shared library?

A. Step 26

B. Neither step

C. Step 25

D. Both steps

Correct Answer: C

**QUESTION 8**

Which of the following best describes the relationship between the Tomcat [cmdb\_ci\_app\_server\_tomcat] table and the Application Server [cmdb\_ci\_app\_server] table? (Choose two.)

- A. Tomcat does not extend the Application Server table
- B. Tomcat table extends the Application Server table
- C. Tomcat table is a child of the Application Server table
- D. Tomcat table is a parent of the Application Server table

Correct Answer: BC

Reference: [https://docs.servicenow.com/bundle/rome-it-operations-management/page/product/discovery/reference/r\\_DataCollDiscoTomcatServers.html](https://docs.servicenow.com/bundle/rome-it-operations-management/page/product/discovery/reference/r_DataCollDiscoTomcatServers.html)

---

**QUESTION 9**

When is the Extension section in a horizontal pattern executed?

- A. As part of the post sensor processing script
- B. After the Identification sections
- C. As part of the port scan
- D. Before the Identification sections

Correct Answer: B

Reference: <https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/service-mapping/task/modify-pattern-using-extensions.html>

---

**QUESTION 10**

A network device has both an SSH port and an SNMP port open. Discovery tries the SSH probe first and it fails. This triggers the SNMP probe, which succeeds. Discovery uses SNMP first for subsequent discoveries on that device. What discovery functionality allows the above to happen?

- A. Classification
- B. Credential affinity
- C. MID Server affinity
- D. IP service affinity

Correct Answer: D

Reference: [https://docs.servicenow.com/bundle/paris-it-operations-management/page/product/discovery/concept/c\\_GetStartedWithDiscovery.html](https://docs.servicenow.com/bundle/paris-it-operations-management/page/product/discovery/concept/c_GetStartedWithDiscovery.html)

---

**QUESTION 11**

On the ECC Queue, sensor records have a Queue value of \_\_\_\_\_ and probe records have a Queue value of \_\_\_\_\_.

- A. input, output
- B. started, ready
- C. ready, started
- D. output, input

Correct Answer: A

Reference: [https://support.servicenow.com/kb?id=kb\\_article\\_view&sysparm\\_article=KB0855595](https://support.servicenow.com/kb?id=kb_article_view&sysparm_article=KB0855595)

---

**QUESTION 12**

Which choice best describes how to use a Behavior for discovery?

- A. The MID Server selection method on a Discovery Schedule.
- B. The Behavior drop-down menu on a Discovery IP Range.
- C. The Behavior drop-down menu on a Discovery Status.
- D. The Behavior checkbox on a CI.

Correct Answer: A

Reference: <https://docs.servicenow.com/bundle/paris-it-operations-management/page/product/discovery/task/create-disco-behavior.html>

---

**QUESTION 13**

Which of the following must be configured to allow a MID Server to access servers using WinRM? (Choose two.)

- A. JEA Properties set to True
- B. MID Servers must be configured as a trusted source with DNS
- C. MID Servers need to be added to the WinRM Group policy on the Servers
- D. MID Server Parameters Add WinRM

Correct Answer: BC

---

**QUESTION 14**

Which of the following can be used in the Debug Identification Section in Debug Mode for an infrastructure pattern? (Choose two.)

- A. IP
- B. AWS Endpoint
- C. PID
- D. Host Name

Correct Answer: AD

Reference: [https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/service-mapping/task/t\\_ActivateDebugMode.html](https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/service-mapping/task/t_ActivateDebugMode.html)

---

**QUESTION 15**

Which choices are necessary to launch any pattern? (Choose two.)

- A. CI Classification
- B. CI Serial Number Attribute
- C. Data Certification
- D. CI Type

Correct Answer: AD

Reference: <https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/discovery/concept/c-UsingPatternsForHorizontalDiscovery.html>

[Latest CIS-DISCOVERY Dumps](#)

[CIS-DISCOVERY PDF Dumps](#)

[CIS-DISCOVERY Practice Test](#)