

CTAL-TM^{Q&As}

Certified Tester Advanced Level - Test Manager (CTAL-TM)

Pass ISQI CTAL-TM Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ctal-tm.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ISQI Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following would be the TWO most appropriate examples of entry criteria documented in the system integration test plan?

- A. The percentage of decision coverage achieved during unit testing.
- B. The availability of the latest version of the capture-replay tool (for testing the interface with the newly developed test management tool).
- C. The sign-off of a performance test software release note (test item transmittal report) by both development and testing showing that system performance meets the specified acceptance criteria.
- D. The percentage of acceptance test procedures scheduled for execution.
- E. The percentage of requirements coverage achieved during system integration test.

Correct Answer: AB

QUESTION 2

Model characteristics:

Which THREE of the below mentioned characteristics relate to TMMi?

- A. 5 maturity levels
- B. Focussed on higher level testing
- C. 20 key areas
- D. Highly related to CMMI
- E. Continuous model
- F. Staged model
- G. Focussed on component and integration testing
- H. Is build around 12 critical testing processes

Correct Answer: ADF

QUESTION 3

You have investigated different possibilities and selected four of them to present to IT management.

Which of the proposals will you most likely give your highest recommendations?

- A. Insourcing of test automation based on an offer from a local company ABC that has people who are specialists in system level capture-replay automation tools and they also do regular training courses in test automation methods and tools. They can then work closely with Vicki.
- B. Outsourcing of test automation based on an offer from an Asian company, AsiaAutoTest, which has people who are specialists in system level capture-replay automation tools. They also offer training and besides they offer to run and maintain the regression tests in the future.
- C. Internal offer from the development department of XYZ to create the regression package using CppUnit as test automation tool. One of the development groups have very good experiences in automating unit tests, and they are willing to do training as well.
- D. Solution from a tool vendor offering to educate two test team members in the use of their easy- to-use test automation capture replay tool over the first 3 month and based on that build the regression test suite. In addition to Vicki, Steve is the only one that has time available to be educated.

Correct Answer: A

QUESTION 4

What would be a test approach regarding the test design techniques to be applied that would fit an item with the highest risk?

- A. Component testing: decision testing; System testing: exploratory testing
- B. Component testing: decision testing; System testing: decision table testing
- C. Component testing: statement testing; System testing: equivalence partitioning
- D. Component testing: statement testing; System testing: decision table partitioning

Correct Answer: B

QUESTION 5

In addition to risk, identify TWO other components of a testing strategy.

- A. The entry and exit criteria for each test phase
- B. Test training needs for the project resources
- C. The test design techniques to be used
- D. Test performance indicators
- E. The test schedule

Correct Answer: AC

QUESTION 6

Identify THREE items that would be part of the work-breakdown structure showing the key testing activities for the acceptance test project.

- A. Test planning, test case preparation and test execution for each of the four iterations
- B. Work should be explicitly allocated to test completion, test management, installation and to training on using the system
- C. Activities to deploy the system in the user environment
- D. Regression testing in the second, third and fourth iterations
- E. Development activities for unit and integration testing
- F. Reviews on requirements documentation
- G. Defining test environment requirements for system testing

Correct Answer: ABD

QUESTION 7

You are considering involving users during test execution. In general, what is the main reason for involving users during test execution?

- A. They are a cheap resource
- B. They have good testing skills
- C. This can serve as a way to build their confidence in the system
- D. They have the ability to also focus on invalid test cases

Correct Answer: D

QUESTION 8

Which of the following are valid reasons for adopting a different life cycle (from the V model), for increments after the first year?

- i. We do not have a clear understanding of the requirements from a customer perspective.

- ii. We see the risk of delivering requested functionality late as being higher than the risk of delivering a lower quality product.
- iii. We do not have a budget for additional regression testing which is needed to ensure that existing functionality is not compromised by future iterations.

iv.

The company test strategy does not fit well within the V life cycle model.

A.

(i) and (ii)

B.

(i) and (iv)

C.

(ii) and (iii)

D.

(ii) and (iv)

Correct Answer: A

QUESTION 9

Which of the following would you expect to see in the master test plan?

- A. A description of how the test cases are cross-referenced to requirements in the test management tool.
- B. A detailed identification of the resources that will carry out structural testing in the first iteration.
- C. The test approach that will be applied at system integration testing.
- D. A list of the names of the testers who will carry out the performance testing for the final iteration.

Correct Answer: C

QUESTION 10

A test log is one of the documents that need to be produced in this domain in order to provide evidence of testing. However, the level of detail of test logs can vary. Which of the following is NOT an influencing factor for the level of detail of the test logs being produced?

- A. Level of test execution automation

- B. Test level
- C. Regulatory requirements
- D. Experience level of testers

Correct Answer: D

QUESTION 11

Which of the following product risks would be most effectively addressed just by static testing?

- A. In the delivered application, one of the countries, as specified in the requirements, has not been correctly implemented.
- B. The application takes too long to process a request for additional cover.
- C. The test cases do not cover the key requirements.
- D. The successful bidder may not deliver all the required functionality on time.

Correct Answer: C

QUESTION 12

Which test management control option is most appropriate to adopt under these circumstances?

- A. Introduce mandatory evening and weekend working to retrieve the 3 week slippage.
- B. Reconsider the exit criteria and review the test plan in the context of the current situation.
- C. Advise the user community regarding the reduced scope of requirements and the additional incremental delivery.
- D. Arrange a meeting with the user community representatives to discuss the user interface.

Correct Answer: B

QUESTION 13

You are about to release a test progress report to a senior manager, who is not a test specialist. Which of the following topics should NOT be included in the test progress report?

- A. Product risks which have been mitigated and those which are outstanding.
- B. Recommendations for taking controlling actions

- C. Status compared against the started exit criteria
- D. Detailed overview of the risk-based test approach being used to ensure the exit criteria to be achieved

Correct Answer: D

QUESTION 14

Evaluate the status of the project against the defined exit criteria.

Which of the following options shows the correct status?

- A. Criteria A = OK, criteria B = OK, criteria C = OK
- B. Criteria A = NOT OK, criteria B = NOT OK, criteria C = OK
- C. Criteria A = OK, criteria B = NOT OK, criteria C = NOT OK
- D. Criteria A = NOT OK, criteria B = NOT OK, criteria C = NOT OK

Correct Answer: B

QUESTION 15

During test process improvement it is recommended to use standards where possible. Standards originate from various sources and they cover different subjects in relation to testing.

Pick TWO sources of software standards, useful to software testing from the ones mentioned below.

- A. ISO 9126-1 `Software engineering- Product quality Part 1: Quality model` is an international standard, that provides a basis on which to define quality assurance solutions.
- B. ISA 4126-1 `Software engineering- Product quality Part 1: Quality model` is an international standard, that provides a basis on which to define quality assurance solutions.
- C. BS-7925-2 `Software testing. Software component testing` is a national standard used internationally. It covers a number of testing techniques that may be useful both on component testing level and on system testing level.
- D. SY-395-01 `Standard for East Coast Hospital software` is a regional standard adapted from a national one. Besides hospital software, this standard ought to be used also by other types of software system in the region.
- E. IEEE 829 `standard for software test documentation` is an international standard to be following mandatory by all testing origination regardless of lifecycle models.

Correct Answer: AC

[CTAL-TM PDF Dumps](#)

[CTAL-TM Practice Test](#)

[CTAL-TM Exam Questions](#)