

DEV-501^{Q&As}

Apex and Visualforce Controllers

Pass Salesforce DEV-501 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/dev-501.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What are the four ways to deploy Apex code? (No Answer)

- A. Force.com IDE for developers, force.com migration tool, changesets, third-party tools
- B. A template from which objects are created
- C. Through UI, Force.com IDE project
- D. Developer edition production org, Enterprise edition sandbox org

Correct Answer: A

QUESTION 2

A component that creates an inline frame within a Visualforce page. A frame allows you to keep some information visible while other information is scrolled or replaced.

- A. apex:include
- B. apex:iframe
- C. apex:chartLabel
- D. apex:attribute

Correct Answer: B

QUESTION 3

A developer would like to modify the contents of the hover details for a custom object called Position. What would a developer customize to accomplish this?

- A. Imposition page layouts
- B. Position search layouts
- C. Position record types
- D. Position field dependencies

Correct Answer: A

QUESTION 4

Which developer tool can be used to create a data model? Choose 2 answers

- A. Force.com IDE

- B. Schema Builder
- C. Application Data Model Wizard
- D. Force.com Data Loader

Correct Answer: AB

QUESTION 5

Which type of custom field can be an external ID?

- A. Custom field of any type
- B. Phone Number, Email, URL and Text-based fields
- C. Text, Number, or Formula fields only
- D. Text, Email, or Number fields only

Correct Answer: D

QUESTION 6

A timer that sends an AJAX update request to the server according to a time interval that you specify. The update request can then result in a full or partial page update. You should avoid using this component with enhanced lists.

- A. apex:dataList
- B. apex:actionPoller
- C. apex:inlineEditSupport
- D. apex:image

Correct Answer: B

QUESTION 7

A template component that declares a named area that must be defined by an component in another Visualforce page. Use this component with the and components to share data between multiple pages.

- A. apex:outputText
- B. apex:barSeries
- C. apex:insert
- D. apex:inputFile

Correct Answer: C

QUESTION 8

Which environments can developers write code? (Select all that apply.)

Developer edition production org

Enterprise edition production org

Enterprise edition sandbox org

Professional edition sandbox org

A.

Salesforce-generated email address

B.

Apex code, Visualforce pages, and controllers

C.

Developer edition production org, Enterprise edition sandbox org

D.

Encapsulation principles

Correct Answer: C

QUESTION 9

For example, if you use the standard Accounts controller, clicking a Save button in a Visualforce page results in the same behavior as clicking Save on a standard Account edit page. The same behavior holds true for Custom objects.

A. True

B. False

Correct Answer: A

QUESTION 10

What types of sharing are available to developers to share records? (No Answer)

A. Messaging, sendEmail

B. Manual sharing, apex sharing

C. Batch apex, apex scheduler

D. With sharing keyword

Correct Answer: B

QUESTION 11

How do you call Web Services from external sources? (No Answer)

A. SOAP Web Service Callouts

B. Webservice

C. SOQL for loops

D. SOQL statements

Correct Answer: A

QUESTION 12

An HTML table that is defined by iterating over a set of data, displaying information about one item of data per row. The body of the contains one or more column components that specify what information should be displayed for each item of data. The data set can include up to 1,000 items.

A. apex:listViews

B. apex:dataTable

C. apex:define

D. apex:inputHidden

Correct Answer: B

QUESTION 13

A single column in a table. An component must always be a child of an or component.

Note that if you specify an sObject field as the value attribute for an , the associated label for that field is used as the column header by default. To override this behavior, use the headerValue attribute on the column, or the column's header facet.

A. apex:inputField

B. apex:column

C. apex:inputText

D. apex:insert

Correct Answer: B

QUESTION 14

How can a wireless device user approve a record? Choose 3 answers

- A. via a text message
- B. via Approvals in Chatter
- C. via voice recognition
- D. via email from a wireless device
- E. via Salesforce1

Correct Answer: BDE

QUESTION 15

Which statement is TRUE about master-detail relationships in the Force.com platform? Choose 2 answers

- A. The master-detail relationship field is required on the page layout of the detail record.
- B. When defining a master-detail relationship, the custom object on which you are working is the master.
- C. The security settings for the master record control the detail record.
- D. When a master record is deleted, the child records remain in the system without a master record.

Correct Answer: C

[DEV-501 PDF Dumps](#)

[DEV-501 Practice Test](#)

[DEV-501 Exam Questions](#)