

E_BW4HANA204^{Q&As}

SAP Certified Application Specialist – SAP BW/4HANA 2.0

Pass SAP E_BW4HANA204 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/e_bw4hana204.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is a valid data target in an SAPMHANA Analysis Process without using a Data Trasfer Process?

- A. DataStore object (advanced)
- B. InfoObject with Attributes
- C. SAP HANA Database Table
- D. CompositeProvider

Correct Answer: C

QUESTION 2

From an SAP BW/4HANA perspective, what is the difference between SAP HANA Smart Data Access (SDA) and SAP HANA Smart Data Integration (SDI)? Note: There are 2 correctanswersto this question.

- A. SDI provides options for data replication in real-time, while SDA does NOT provide this capability.
- B. SDA is integrates into the SAP HANA Indexserver while you need to setup an additional SAP 1-1 HANA Data Provisioning server for SDI
- C. SAP BW/4HANA DataSources of source system type "SAP HANA" can connect to SDA sources, U but NOT to SDI sources.
- D. SAP BW/4HANA Open ODS View can be modelled on SDI sources, but NOT on SDA sources.

Correct Answer: BD

QUESTION 3

Which effects do you expect for a BW Query if you set the SAP HANA runtime mode, called ""Operations in SAP HANA"", to the value ""[^(Standard)""? Note: There are 2 correct answers to this question.

- A. A cluster of InfoProviders with a homogenous mapping is created (expert mode 3).
- B. The user can manually choose the expert mode 3,8 or 9 by himself.
- C. The system supports the calculation of condition (expert mode 9).
- D. The system supports formulas with a complex currency or unite (expert mode 8).

Correct Answer: AD

QUESTION 4

What is a valid reason to run the program RODPS_OS_EXPOSE?

- A. To use an SAP ABAP CDS View for ODP
- B. To have an overview of ODP Consumers of a DataSource
- C. To release a customer developed DataSource for ODP
- D. To investigate extractor logic in an SAP delivered DataSource For ODP

Correct Answer: C

QUESTION 5

Which process types of process chains became obsolete in SAP BW/4HANA compared to SAP BW powered by SAP HANA? Note: there are 2 correct answers to this question.

- A. Execute Analysis Process (APD)
- B. Execute Data Archiving Process (DAO)
- C. Trigger Delta Merge
- D. Attribute Change Run

Correct Answer: AD

QUESTION 6

Which steps are required to set up a real-time data streaming process based on the ""SAP HANA Smart Data Access (HANA_SDA)"" source system in SAP BW/4HANA? Note: There are 3 correct answers to this question.

- A. Set up an Open ODS view based on the SAP HANA remote source and associate InfoObjects to U each field
- B. Create a CompositeProvider on top of the DataStore object (advanced) and define a BW Query on top of it.
- C. Create a DataStore object (advanced) and a Transformation including DTP connecting the BW DataSource
- D. Create a SAP HANA remote source based on an SAP HANA Smart Data Integration adapter and a 1-1 BW DataSource related to it.
- E. Create a Process Chain that executes the DTP, set it to "Streaming mode", and schedule it.

Correct Answer: ACD

QUESTION 7

You enable a DataStore object (advanced) for reporting by switching on the ""External SAP HANA view"" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view directly?

- A. The generated analytic privileges in SAP HANA

- B. The authorizations for the HDI container access in SAP HANA
- C. The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- D. The analysis authorizations in SAP BW/4HANA

Correct Answer: C

QUESTION 8

What are valid reason to generate external SAP HANA View for SAP BW/4HANA objects? Note: there are 2 correct answers to this question.

- A. To consume SAP BW/4HANA data and manage access with native SAP HANA concepts
- B. To apply SAP HANA transformational logic instead of SAO ABAP logic
- C. To leverage the SAP HANA-optimized Analytic Manager to process BW Query
- D. To create an additional persistent layer of data in SAP HANA

Correct Answer: AC

QUESTION 9

You want to use a referential join for a combination of transactional data (left table) and master data (right table).

How will this referential join be processed? Note: there are 2 correct answers to this question.

- A. It is executed only when columns from both tables are requested
- B. It shows all transactional data with an existing master data record
- C. It shows all master data to assure the referential integrity
- D. It is an inner join that assumes that referential integrity is given

Correct Answer: AD

QUESTION 10

What do the Remote Conversion approach and the Shell Conversion approach have in common? Note: There are 3 correct answers to this question.

- A. Both approaches uninstall the unsupported BW Add-ons from the sending BW system as the first activity
- B. Both approaches convert unsupported object types during import into the new SAP BW/4HANA system
- C. Both approaches result in a SAP BW/4HANA system which has a new system ID

- D. Both approaches require the SAP BW/4HANA Starter Add-on to be installed on the sending system
- E. Both approaches are setup by installing required SAP notes via the SAP BW Notes Analyzer

Correct Answer: BCE

[E_BW4HANA204 PDF Dumps](#)

[E_BW4HANA204 VCE Dumps](#)

[E_BW4HANA204 Study Guide](#)