

E_BW4HANA207^{Q&As}

SAP Certified Application Specialist - SAP BW/4HANA 2.0 Delta

Pass SAP E_BW4HANA207 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/e_bw4hana207.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

For which SAP Cloud system does SAP recommend using the SAP HANA SDI and its Odata adapter to load data into SAP BW/4HANA?

- A. SAP C/4HANA
- B. SAP SuccessFactors
- C. SAP S/4HANA Cloud
- D. SAP Ariba

Correct Answer: D

QUESTION 2

You enable a DataStore object(advanced) for reporting by switching on the ""External SAP HANA view"" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view directly?

- A. The generated analytic privileges in SAP HANA
- B. The authorizations for the HDI container access in SAP HANA
- C. The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- D. The analysis authorizations in SAP BW/4HANA

Correct Answer: C

QUESTION 3

You want to use a referential join for a combination of transactional data (left table) and master data (right table).

How will this referential join be processed? Note: there are 2 correct answers to this question.

- A. It is executed only when columns from both tables are requested
- B. It shows all transactional data with an existing master data record
- C. It shows all master data to assure the referential integrity
- D. It is an inner join that assumes that referential integrity is given

Correct Answer: AD

QUESTION 4

What is the recommended and supported way to virtually consume data in SAP BW/4HANA based on SAP ABAP CDS View?

- A. Model a CompositeProvider which consumes an SAP HANA Calculation View which refers to the u SAP ABAP CDS View.
- B. Model a CompositeProvide which directly consumes the SAO ABAP CDS View.
- C. Model an Open View of source type "Dattabase Table or View" which refers to the SAP ABAP CDS U View.
- D. Model an Open ODS View of source type "DataSource (BW)"which refers to the SAP ABAP CDS U View.

Correct Answer: D

QUESTION 5

You would like to implement a virtual scenario in yur SAP BW/4HANA system. Which approach does SAP recommend for this kind of scenario?

Note: There are 3 correct answer to this question.

- A. Integrate external data into SAP BW/4HANA based on the Write Interface-ebabledDataStore object.
- B. Model a CompositeProvider which combines data from multiple SAP BW/4HANA InfoProviders and SAP HANA Views.
- C. Generate external SAP HANA view of SAP BW/4HANA InfoProviders to consume SAP BW/4HANA data in SAP HANA.
- D. Define an Open ODS View which integrates an SAP HANA table into SAP BW/4HANA.
- E. Load SAP HANA dat into SAP BW/4HANA InfoProviders based on the Operational Data Provisioning (ODP) framework.

Correct Answer: BCD

QUESTION 6

A customer wants to know the difference between LSA and LSA+ + to define a layered scalable architecture.

Which layers are only presented in LSA+ + ?

Note: There are 2 correct answers to this question.

- A. Open Operational Data Store Layer
- B. EDW Propagation Layer
- C. Corporate Memory

D. BW Workspace Layer

Correct Answer: AB

QUESTION 7

How does column-based storage enable data to be read faster in SAP HANA?

- A. Individual columns contain all of the information for the record
- B. Individual columns are read-optimized by writing into a main store and a delta store
- C. Individual columns can be transferred to an SAP HANA optimized row-based format for faster access
- D. Individual columns can be processed at the same time by different CPU cores

Correct Answer: B

QUESTION 8

From an SAP BW/4HANA perspective, what is the difference between SAP HANA Smart Data Access (SDA) and SAP HANA Smart Data Integration (SDI)?

Note: There are 2 correct answers to this question.

- A. SDI provides options for data replication in real-time, while SDA does NOT provide this capability.
- B. SDA integrates into the SAP HANA Indexserver while you need to setup an additional SAP 1-1 HANA Data Provisioning server for SDI.
- C. SAP BW/4HANA DataSources of source system type "SAP HANA" can connect to SDA sources, but NOT to SDI sources.
- D. SAP BW/4HANA Open ODS View can be modelled on SDI sources, but NOT on SDA sources.

Correct Answer: BD

QUESTION 9

You use the SAP BW/4HANA Transfer Cockpit to prepare your SAP BW system for an in-place conversion to SAP BW/4HANA.

Which functions are provided by this cockpit? Note: There are 2 correct answers to this question.

- A. Execute Pre-Checks
- B. Transfer 3.x DataFlow into 7.x DataFlows
- C. Transfer Bex Queries into BW Queries
- D. Transfer Standard Authorizations

Correct Answer: AD

QUESTION 10

What are valid reason to generate external SAP HANA View for SAP BW/4HANA objects? Note: there are 2 correct answers to this question.

- A. To consume SAP BW/4HANA data and manage access with native SAP HANA concepts
- B. To apply SAP HANA transformational logic instead of SAO ABAP logic
- C. To leverage the SAP HANA-optimized Analytic Manager to process BWQuery
- D. To create an additional persistent layer of data in SAP HANA

Correct Answer: AC

[E_BW4HANA207 PDF Dumps](#)

[E_BW4HANA207 Practice Test](#)

[E_BW4HANA207 Exam Questions](#)