

H11-861^{Q&As}

HCIP-Video Conference V2.0





Pass Huawei H11-861 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h11-861.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

From the MCU web interface, management for the user, address book, conference, and device is provided. ()

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 2

Acoustic echoes are local sounds that are returned from the peer end. In this case, ensure that the speaker sound cannot be returned through the microphone. ()

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 3

Automatic downspeeding is supported for multi-channel cascading. ()

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 4

Which of the following ports is the default service network port of the MCU. ()

- A. GEO
- B. GE1
- C. FE
- D. RS232

Correct Answer: A

QUESTION 5

The YPbPr output supports 16:9 ratio and 4:3 ratio ()

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 6

Response Messages "4xx" Indicate that the request message contains syntax errors or the SIP server cannot process the request message. ()

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 7

NAT types include (). (Select 3 answers)

- A. Static NAT
- B. Dynamic NAT
- C. Port mapping
- D. Protocol mapping

Correct Answer: ABC

QUESTION 8

Which does not belong to six major request messages of SIP protocol.()

- A. ACK
- B. CANCEL
- C. SETUP
- D. BYE

Correct Answer: C

QUESTION 9

Loudness is an auditory sensation in terms of which sounds can be ordered on a scale extending from quiet to loud.

Loudness may be quantified by the amplitude of sound waves. ()

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 10

A dialog is uniquely identified by Call-ID, From tag, and To tag. Once a dialog is established, the three identifier cannot be changed. ()

A. TRUE

B. FALSE

Correct Answer: B

QUESTION 11

White balance reproduces whiteness to keep the true colors of white objects under casting of any light sources. Specifically, if the white color differentiates under casting of certain light sources, the white balance technique reproduces the whiteness faithfully ()

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 12

For MCU Video Firewall Mode, no proprietary protocol is used and therefore cooperation between end points of different vendors is allowed. ()

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 13

After the conference ends, the recording server sends a recording address to the SMC who will then send emails to

relevant users, notifying them of the on-demand playback. ()

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 14

In video conferencing system, we have two way to prevent packet loss, one is FEC, the other is ARQ. ()

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 15

Which of the following statements about HD video terminals is correct. ()

- A. HD video terminals cannot communicate with SD video terminals.
- B. The HD video terminal must register with the GK for communication.
- C. The HD video terminal support Far-End Camera Control.
- D. The HD video terminal web login user name cannot be left blank.

Correct Answer: C

[H11-861 PDF Dumps](#)

[H11-861 Study Guide](#)

[H11-861 Exam Questions](#)