

LX0-104^{Q&As}

CompTIA Linux+ [Powered by LPI] 2

Pass CompTIA LX0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/lx0-104.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Why should a regular user edit his personal crontab by using the command crontab instead of just editing his crontab file manually?

- A. Because user specific crontab entries are stored in a common database and must be extracted before editing.
- B. Because crontab starts the cron daemon in case it is not running due to no other crontab entries existing.
- C. Because user specific crontab entries are stored in a special directory which is maintained by the cron daemon and not writable for regular users.
- D. Because crontab collects information about all users crontabs and recommends similar commands used by other users of the system.

Correct Answer: C

QUESTION 2

Which of the following IPv4 networks are reserved by IANA for private address assignment and private routing? (Choose THREE correct answers.)

- A. 127.0.0.0/8
- B. 10.0.0.0/8
- C. 169.255.0.0/16
- D. 172.16.0.0/12
- E. 192.168.0.0/16

Correct Answer: BDE

QUESTION 3

Why is the correct configuration of a system's time zone important?

- A. Because the conversion of Unix timestamps to local time relies on the time zone configuration.
- B. Because the time zone is saved as part of the modification times of files and cannot be changed after a file is created.
- C. Because the environment variables LANG and LC_MESSAGES are, by default, set according to the time zone.
- D. Because NTP chooses servers nearby based on the configured time zone.

Correct Answer: A

QUESTION 4

Which of the following find commands will print out a list of files owned by root and with the SUID bit set in /usr?

- A. find /usr -uid 0 -perm +4000
- B. find -user root +mode +s /usr
- C. find -type suid -username root -d /usr
- D. find /usr -ls *s* -u root
- E. find /usr -suid -perm +4000

Correct Answer: A

QUESTION 5

When issuing the command `ifconfig eth0 192.168.1.20/24 up`, which of the following happens? (Choose two correct answers.)

- A. The address 192.168.1.20 is associated with the interface eth0.
- B. A network route to 192.168.1.0 with the netmask 255.255.255.0 pointing directly to eth0 is created.
- C. 192.168.1.1 is probed for router functionality and, in case of success, it is added to the list of default routers.
- D. The addresses from 192.168.1.20 to 192.168.1.24 are activated on the interface eth0.
- E. If eth0 was configured with a previous IP address, it is retained an addition to adding the new address.

Correct Answer: AB

QUESTION 6

Which of the following fields can be found in the `/etc/group` file? (Choose THREE correct answers.)

- A. The list of users that belong to the group.
- B. The home directory of the group.
- C. The name of the group.
- D. The description of the group.
- E. The password of the group.

Correct Answer: ACE

QUESTION 7

Please specify the top directory containing the configuration files for the CUPS printing system. (Specify the full path to the directory.)

A. /etc/cups -or- /etc/cups/

Correct Answer: A

QUESTION 8

What is the assigned port number for the HTTP service? (Specify the port number using digits.)

A. 80

Correct Answer: A

QUESTION 9

Which command is used to manually assign an IP address to a network interface? (Specify only the command without any path or parameters.)

A. ifconfig

Correct Answer: A

QUESTION 10

Which of the following commands will help identify a broken router between the local and the remote machine?

A. ps

B. netstat

C. nslookup

D. ifconfig

E. traceroute

Correct Answer: E

QUESTION 11

To prevent a specific user from scheduling tasks with at, what should the administrator do?

- A. Add the specific user to /etc/at.allow file.
- B. Add the specific user to [deny] section in the /etc/atd.conf file.
- C. Add the specific user to /etc/at.deny file.
- D. Add the specific user to nojobs group.
- E. Run the following: atd --deny [user].

Correct Answer: C

QUESTION 12

Which of the following are tasks handled by a display manager like XDM or KDM? (Choose TWO correct answers.)

- A. Start and prepare the desktop environment for the user.
- B. Configure additional devices like new monitors or projectors when they are attached.
- C. Handle the login of a user.
- D. Lock the screen when the user was inactive for a configurable amount of time.
- E. Create an X11 configuration file for the current graphic devices and monitors.

Correct Answer: AC

QUESTION 13

In an xinetd configuration file, which attribute specifies the network address that will be used to provide the service?

- A. bind -or- interface

Correct Answer: A

QUESTION 14

Which of the following statements is true regarding the /etc/shadow file?

- A. /etc/shadow may not be readable or writable by user root.
- B. Only root is allowed to read and write /etc/shadow.
- C. All users have full read and write access to /etc/shadow.
- D. All users have full read access to /etc/shadow.

Correct Answer: B

QUESTION 15

How many IP-addresses can be used for unique hosts inside the IPv4 subnet 192.168.2.128/28? (Specify the number only without any additional information.)

Correct Answer: A

[LX0-104 VCE Dumps](#)

[LX0-104 Practice Test](#)

[LX0-104 Braindumps](#)