NSE4_FGT-6.0^{Q&As}

Fortinet NSE 4 - FortiOS 6.0

Pass Fortinet NSE4_FGT-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse4_fgt-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

QUESTION 1

Which of the following FortiGate configuration tasks will create a route in the policy route table? (Choose two.)

A. Static route created with a Named Address object

B. Static route created with an Internet Services object

C. SD-WAN route created for individual member interfaces

D. SD-WAN rule created to route traffic based on link latency

Correct Answer: BD

QUESTION 2

Which statements about HA for FortiGate devices are true? (Choose two.)

A. Sessions handled by proxy-based security profiles cannot be synchronized.

B. Virtual clustering can be configured between two FortiGate devices that have multiple VDOMs.

C. HA management interface settings are synchronized between cluster members.

D. Heartbeat interfaces are not required on the primary device.

Correct Answer: BC

QUESTION 3

What FortiGate components are tested during the hardware test? (Choose three.)

A. Administrative access

B. HA heartbeat

C. CPU

D. Hard disk

E. Network interfaces

Correct Answer: CDE

QUESTION 4

Which of the following static routes are not maintained in the routing table?

A. Named Address routes

![Pass2Lead](https://Pass2Lead.com)
B. Dynamic routes

C. ISDB routes

D. Policy routes

Correct Answer: D

QUESTION 5

Why does FortiGate keep TCP sessions in the session table for some seconds even after both sides (client and server) have terminated the session?

A. To remove the NAT operation.

B. To generate logs

C. To finish any inspection operations.

D. To allow for out-of-order packets that could arrive after the FIN/ACK packets.

Correct Answer: D

QUESTION 6

Which of the following conditions are required for establishing an IPSec VPN between two FortiGate devices? (Choose two.)

A. If XAuth is enabled as a server in one peer, it must be enabled as a client in the other peer.

B. If the VPN is configured as route-based, there must be at least one firewall policy with the action set to IPSec.

C. If the VPN is configured as DialUp User in one peer, it must be configured as either Static IP Address or Dynamic DNS in the other peer.

D. If the VPN is configured as a policy-based in one peer, it must also be configured as policy-based in the other peer.

Correct Answer: BC

QUESTION 7

Which of the following statements is true regarding SSL VPN settings for an SSL VPN portal?

A. By default, FortiGate uses WINS servers to resolve names.

B. By default, the SSL VPN portal requires the installation of a client\\'s certificate.

C. By default, split tunneling is enabled.

D. By default, the admin GUI and SSL VPN portal use the same HTTPS port.

Correct Answer: D

QUESTION 8

An administrator needs to strengthen the security for SSL VPN access. Which of the following statements are best practices to do so? (Choose three.)

A. Configure split tunneling for content inspection.

B. Configure host restrictions by IP or MAC address.

C. Configure two-factor authentication using security certificates.

D. Configure SSL offloading to a content processor (FortiASIC).

E. Configure a client integrity check (host-check).

Correct Answer: CDE

QUESTION 9

View the exhibit:

Status	Name	VLAN ID	Type	IP/Netmask
Physical(12)				
○	port1		Physical Interface	10.200.1.1 255.255.255.0
	port1-VLAN1	1	VLAN	10.200.5.1 255.255.255.0
	port1-VLAN10	10	VLAN	10.0.10.1 255.255.255.0
○	port2		Physical Interface	10.200.2.1 255.255.255.0
	port2-VLAN1	1	VLAN	10.0.5.1 255.255.255.0
	port2-VLAN10	10	VLAN	10.0.20.254 255.255.255.0
○	port3		Physical Interface	10.0.1.254 255.255.255.0

Which statement about the exhibit is true? (Choose two.)

A. Broadcast traffic received in port1-VLAN10 will not be forwarded to port2-VLAN10.

B. port-VLAN1 is the native VLAN for the port1 physical interface.

C. port1-VLAN10 and port2-VLAN10 can be assigned to different VDOMs.

D. Traffic between port1-VLAN1 and port2-VLAN1 is allowed by default.

Correct Answer: AC

QUESTION 10

Examine the network diagram and the existing FGTI routing table shown in the exhibit, and then answer the following question:

```
                FGT1                                                      Router1
    port2              port1        ┌─────────┐              port1              port2
  172.21.1.1/16              172.11.11.1/24   Corporate   172.11.12.1/24              172.20.1.1/24
                                     Network
                                   └─────────┘
```

```
FGT1 # get router info routing-table all
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
       O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1,  N2 - OSPF external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
       * - candidate default;

S      172.20.0.0/16 [10/0] via 172.21.1.2, port2
C      172.21.0.0/16 is directly connected, port2
C      172.11.11.0/24 is directly connected, port1
```

An administrator has added the following static route on FGTI.

New Static Route

Destination ℹ	Subnet	Named Address	Internet Service
	172.20.1.0/24
Gateway	172.11.12.1
Interface	📶 port1 ▼
Administrative Distance ℹ	10
Comments	0/255
Status	⊕ Enabled	⊖ Disabled

➖ Advanced Options

Priority ℹ	0

Since the change, the new static route is not showing up in the routing table. Given the information provided, which of the following describes the cause of this problem?

A. The new route\\'s destination subnet overlaps an existing route.

B. The new route\\'s Distance value should be higher than 10.

C. The Gateway IP address is not in the same subnet as port1.

D. The Priority is 0, which means that tthis route will remain inactive.

Correct Answer: C

QUESTION 11

Which of the following statements about NTLM authentication are correct? (Choose two.)

A. It is useful when users log in to DCs that are not monitored by a collector agent.

B. It takes over as the primary authentication method when configured alongside FSSO.

C. Multi-domain environments require DC agents on every domain controller.

D. NTLM-enabled web browsers are required.

Correct Answer: AD

QUESTION 12

Examine the exhibit, which shows the output of a web filtering real time debug.

```
Local-FortiGate # diagnose  debug enable

Local-FortiGate # diagnose debug application urlfilter -1

Local-FortiGate # msg="received a request /tmp/.wad_192_0_0.url.socket, addr_len
=31: d=www.bing.com:80, id=29, vfname='root', vfid=0, profile='default', type=0,
 client=10.0.1.10, url_source=1, url="/"
Url matches local rating
action=10(ftgd-block) wf-act=3(BLOCK) user="N/A" src=10.0.1.10 sport=63683 dst=2
04.79.197.200 dport=80 service="http" cat=26 cat_desc="Malicious Websites" hostn
ame="www.bing.com" url="/"
```

Why is the site www.bing.com being blocked?

A. The web site www.bing.com is categorized by FortiGuard as Malicious Websites.

B. The user has not authenticated with the FortiGate yet.

C. The web server IP address 204.79.197.200 is categorized by FortiGuard as Malicious Websites.

D. The rating for the web site www.bing.com has been locally overridden to a category that is being blocked.

Correct Answer: D

QUESTION 13

Which one of the following processes is involved in updating IPS from FortiGuard?

A. FortiGate IPS update requests are sent using UDP port 443.

B. Protocol decoder update requests are sent to service.fortiguard.net.

C. IPS signature update requests are sent to update.fortiguard.net.

D. IPS engine updates can only be obtained using push updates.

Correct Answer: C

QUESTION 14

Examine the two static routes shown in the exhibit, then answer the following question.

Destination	Gateway	Interface	Priority	Distance
172.20.168.0/24	172.25.1 76.1	port1	10	20
172.20.168.0/24	172.25.1 78.1	port2	20	20

(Create New, Edit, Clone, Delete)

Which of the following is the expected FortiGate behavior regarding these two routes to the same destination?

A. FortiGate will load balance all traffic across both routes.

B. FortiGate will use the port1 route as the primary candidate.

C. FortiGate will route twice as much traffic to the port2 route

D. FortiGate will only actuate the port1 route in the routing table

Correct Answer: B

QUESTION 15

What FortiGate configuration is required to actively prompt users for credentials?

A. You must enable one or more protocols that support active authentication on a firewall policy.

B. You must position the firewall policy for active authentication before a firewall policy for passive authentication

C. You must assign users to a group for active authentication

D. You must enable the Authentication setting on the firewall policy

Correct Answer: C

[NSE4_FGT-6.0 VCE Dumps](#)   [NSE4_FGT-6.0 Exam Questions](#)   [NSE4_FGT-6.0 Braindumps](#)