

OMG-OCUP2-INT200^{Q&As}

OMG Certified UML Professional (OCUP 2) - Intermediate Level

**Pass OMG OMG-OCUP2-INT200 Exam with 100%
Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/omg-ocup2-int200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by OMG
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

If a central buffer has one value and three outgoing arrows go to three actions, how many of the actions will receive the value?

- A. two
- B. any number
- C. one
- D. none

Correct Answer: C

QUESTION 2

Where is an interaction constraint placed?

- A. either on the top of an operand or at the bottom of an operand
- B. always at the top of an interaction
- C. above the first event within an interaction operand
- D. directly outside the combined fragment

Correct Answer: C

QUESTION 3

What does the history of a state represent?

- A. most recent transition that was taken out of the state
- B. most recent active configuration of its substates
- C. number of times that the state has been active before
- D. most recent transition that was taken into the state.

Correct Answer: B

QUESTION 4

How many arrows can connect to a partition?


- A. any number

- B. none
- C. two
- D. one

Correct Answer: B

QUESTION 5

What does the composite structure notation in the exhibit show?



- A. p is a port on a part of C, which is not shown.
- B. p is a behavior port of C.
- C. p is a hidden port of C.
- D. p is a port providing a system service.

Correct Answer: C

QUESTION 6

What does a region in a state machine represent?

- A. part of a composite state or a state machine containing transitions and vertices
- B. contained state machine
- C. concurrent object owned by the context object of the state machine
- D. separate thread of execution
- E. concurrent state

Correct Answer: A

QUESTION 7

What action would destroy all association links for an object in one operation?

- A. Clear Structural Feature Action
- B. Destroy Object Action
- C. Clear Association Action
- D. Remove Structural Feature Action
- E. Destroy Link Action

Correct Answer: C

QUESTION 8

What does the lower bound of the multiplicity of a part in a structured classifier indicate? The minimum number of _____.

- A. instances corresponding to that part that can exist when the classifier is instantiated
- B. connectors that can be connected to that part
- C. times that an instance corresponding to that part can be created during the lifetime of the structured classifier instance
- D. links that can be connected to that part

Correct Answer: A

QUESTION 9

What is an invocation action on a port used for?

- A. invoking the behavior of the classifier that owns the port
- B. creating a link and attach it to that port
- C. relaying the invocation via links connected to that port
- D. sending a message to that port
- E. receiving a message on that port

Correct Answer: C

QUESTION 10

What does a run-to-completion processing for state machines mean?

- A. Interrupts are disabled while the state machine is running.

- B. No other event will be processed until the current event is fully processed.
- C. The thread executing the state machine cannot be pre-empted by the scheduler.
- D. The executions of orthogonal regions are serialized.

Correct Answer: B

QUESTION 11

Which list contains only connectable elements?

- A. behavior, connector end, and port
- B. behavior, port and property
- C. port and connector end
- D. connector end, port and part
- E. property, port, and parameter

Correct Answer: E

QUESTION 12

When either a message m or a message q is to be sent-but not both-what kind of operator for combined fragment would be used?

- A. var
- B. break
- C. opt
- D. par
- E. alt

Correct Answer: E

QUESTION 13

What does a state list represent?

- A. set of states that share a single outgoing transition
- B. notational shorthand for a set of states
- C. set of states that share the same entry and exit actions

D. list of the substates of a composite state

Correct Answer: B

QUESTION 14

What is a Connection Point Reference used to declare?

- A. a pointer to a connection point
- B. a submachine state
- C. an entry or exit point of a submachine state
- D. an entry or exit point of a state
- E. a pseudostate

Correct Answer: C

QUESTION 15

What does reaching the terminating pseudostate mean?

- A. The context object of the state machine is terminated.
- B. The enclosing region is completed.
- C. The final state has been reached.
- D. A completion transition has occurred.
- E. The "do" activity of the current state has completed.

Correct Answer: A

[OMG-OCUP2-INT200 PDF Dumps](#)

[OMG-OCUP2-INT200 VCE Dumps](#)

[OMG-OCUP2-INT200 Braindumps](#)